COMPRESSED AIR PREPARATION · PNEUMATICS

Air Filters, Regulators & Lubricators (FRL)

Norgren · Parker · Wilkerson · ARO · Ingersoll Rand · Speedaire

Branded air-preparation equipment that keeps compressed air clean, at the right pressure and lubricated, protecting air tools, winches, cylinders and valves. **56 units** in stock across 29 part numbers, from 1/4" to 2" ports, including larger 1-1/2" and 2" ARO lubricators for rig-floor and deck air systems.

56	29	1/4"–2"	10
units in stock	part numbers	port sizes	brands

Stock at a glance

Range	Lines	Pieces
FRL Sets & Filter-Regulators	5	**17**
Air-Line Lubricators	8	**17**
Compressed-Air Filters	9	**10**
Pressure Regulators	4	**6**
Valves & Hydraulic Filters	3	**6**
Total	**29**	**56**

Sales tip: FRLs are usually replaced like-for-like, so the customer's existing part number is the quickest match. Air-tool users on rigs and in shipyards, and pneumatic winch and hoist operators, are the main buyers.

How to order

1. Send the part number, or tell us what you need to isolate or supply.
2. We match it to stock and quote.
3. Dispatch from stock: single pieces, kits or full lots.

Contact
Deepak · +91 77299 90663 · sales@kkdmarine.co.in

Lot offers
Special pricing for full ranges and site kits.

COMPLETE UNITS · 17 PCS

FRL Sets & Filter-Regulators

Complete air-preparation units that filter, regulate and lubricate in one assembly, ready to fit at the air-tool or machine drop.

Make / part no.	Description	Qty
Wilkerson D28-06-FKG0	Filter-regulator-lubricator (FRL) set, 3/4"	**5**
Speedaire 6ZC32A	FRL unit	**6**
Ingersoll Rand C38351-811	Filter, regulator, lubricator	**3**
Norgren BL64-408	Combination filter/regulator and lubricator, 1/2"	**2**
Parker 07E36B13AC	One-piece filter/regulator, 1/2" NPT	**1**

LUBRICATORS · 17 PCS

Air-Line Lubricators

Oil-fog and micro-mist lubricators that feed a fine oil mist into the air line to protect air tools, cylinders and valves. Sizes from 1/4" to 2".

Make / part no.	Description	Qty
Speedaire 4ZL95	Micro-mist lubricator	**7**
Watts 6096W	Lubricator, 3/4" NPT, 17 bar	**4**
ARO L36561-100	Lubricator, 1"	**1**
ARO L36581-110	Compressed air lubricator, 1-1/2" port	**1**
ARO L36591-110	Lubricator, 2" port	**1**
ARO L30-08-000	Lubricator	**1**
Norgren L73C-2AP-QDN	Oil-fog lubricator, 1/4" NPT	**1**
CKD 3002E-6C	Lubricator	**1**

FILTERS · 10 PCS

Compressed-Air Filters

Particulate filters that remove dirt, rust and water from compressed air before it reaches tools and controls.

Make / part no.	Description	Qty
Parker 07F31AC	Pneumatic filter, 1/2" NPT, 150 psi	**2**
Parker 07F32AC	Compressed air filter, 1/2" NPT, 40 micron, 150 psi	**1**
Parker 07F44AC	Particulate filter	**1**
Parker 06F17AC	Pneumatic particulate filter	**1**
Norgren F74G-4AN-QP3	Excelon filter, 1/2" NPT	**1**
Norgren F74G-4AN-AP3	Excelon filter, 1/2" NPT	**1**
Norgren B64G-NNK-AD3-RMN	Plug-in air filter	**1**
Wilkerson F38-06-SK00	Filter, 3/4" NPT	**1**
Ingersoll Rand F35341-400	Air line filter	**1**

REGULATORS · 6 PCS

Pressure Regulators

Regulators that hold a steady downstream air pressure for tools, actuators and instruments.

Make / part no.	Description	Qty
Norgren R68G-8GK-RLN	Pressure regulator, G 1", knob, relieving, 116 psi	**2**
Arrow R354125HL	Regulator	**2**
ARO R37461-100	3000 series regulator, 3/4" and 1" ports	**1**
CompAir AL15-00	Regulator	**1**

OTHER · 6 PCS

Valves & Hydraulic Filters

Pneumatic poppet valve and hydraulic filter spares.

Make / part no.	Description	Qty
Norgren A1026H-A1	Pilot-operated poppet valve	**3**
Norgren F07-200-A1TA	Hydraulic filter	**2**
Parker 932630Q	Hydraulic filter element	**1**

MARINE GALLEY · OFFSHORE CATERING · COMMERCIAL KITCHENS

Galley & Oven Heating Elements

Hobart · Lang · Beha / Hedo · Electrolux · Baratta · Kronus · Meiko

When a galley oven, range, boiler, fryer or dishwasher element fails at sea, the crew's kitchen is down until a replacement arrives. We hold **117 heating elements** across 46 part numbers for the main marine and commercial galley brands, from 900 W to 17 kW, **ready to ship to the vessel or port agent**.

117
elements in stock

46
part numbers

40
pcs at 440–480 V (ship supply)

17 kW
largest element

Find by supply voltage

Supply voltage	Lines	Pieces	Power range
120–130 V	1	**4**	2 kW – 2 kW
220–254 V	10	**36**	900 W – 10 kW
277 V	2	**10**	1.5 kW – 3.3 kW
380–415 V	5	**5**	2.76 kW – 12 kW
440–480 V	18	**40**	2 kW – 17 kW
600 V	1	**5**	–
Not recorded	9	**17**	1.3 kW – 1.3 kW

Sales tip: ask the vessel for three things: the **equipment make and model**, the **part number on the old element**, and its **voltage and wattage**. Most ships run galley equipment on 440 V 60 Hz, so the 440–480 V lines are the core of this stock. Ship managers and chandlers buy these repeatedly across their fleets.

How to order

1. Send the part number, or a photo of the element label and the equipment data plate.
2. We match it to stock and quote.
3. Dispatch to your office, port agent or vessel.

Contact
Deepak · +91 77299 90663 · sales@kkdmarine.co.in

Fleet supply
Special pricing for ship managers and chandlers taking a full brand range.

FAST MOVERS · 11 PCS Hobart · Lang · Beha / Hedo

The galley brands ships and offshore kitchens reorder most often. Hobart and Lang are US commercial kitchen standards; Beha is the classic Scandinavian marine galley range. Original-pattern elements, ready to ship.

Brand	Part no.	Volts	Power	Description	Qty
Hobart	00-351360-00003	**480 V**	–	Heating element	**2**
Hobart	426635-3	**480 V**	**2 kW**	Heating element	**1**
Hobart	413452-3	–	–	Heating element	**2**
Lang	11090-11	**480 V**	**6 kW**	Oven heating element	**1**
Loran International	2N-11090-18	**480 V**	**11 kW**	Oven heating element (Lang-pattern part no.)	**3**
Beha / Hedo	612460	**440 V**	**9 kW**	Heating element	**2**

BRANDED · 24 PCS Electrolux · Baratta · Kronus · Meiko · Jevi and others

Elements for European marine and commercial galley equipment: Electrolux Professional ovens and kettles, Baratta and Kronus ranges, Meiko dishwasher water heaters.

Brand	Part no.	Volts	Power	Description	Qty
Electrolux	OC5846	–	–	Heating element	**1**
Electrolux	OU1088 / 317383	–	–	Heating element	**2**
Electrolux	OF0068	–	–	Heating element	**1**
Electrolux	OL-1002	**400 V**	**3 kW**	Heating element	**1**
Electrolux	482530300	–	–	Heating element	**1**
Baratta	901120260 (8263938)	**480 V**	**2.7 kW**	Plate heating element	**3**
Baratta	BAR901177680	**480 V**	**3 kW**	Oven heating element	**4**
Kronus	415-928	–	–	Heating element	**1**
Kronus	S0070406	–	–	Fixing plate for heating element	**1**
Meiko	9546104	–	**1.3 kW**	Water heating element (dishwasher)	**3**
Jevi	DK7100 (23263570)	**400 V**	**12 kW**	Heating element, 3 × 400 V	**1**
Lambar	HTR2 0303044 (04163217)	**230 V**	**1 kW**	Heating element	**3**
Santon	90004852	**240 V**	**3 kW**	Heating element	**1**
FCG	1511726	**400 V**	**2.76 kW**	Heating element	**1**

ELEMENT MAKERS · 29 PCS

Kawai & Backer Elements

Elements made by specialist heating-element manufacturers. Match on part number, voltage and wattage to the element being replaced.

Brand	Part no.	Volts	Power	Description	Qty
Kawai	4719837-15	**277 V**	**3.3 kW**	Heating element	**7**
Kawai	1305 4719825-12	**254 V**	**6 kW**	Heater element	**9**
Kawai	617400P00 1301	**440 V**	**3.2 kW**	Heating element	**1**
Kawai	6174008001302	**400 V**	**5.67 kW**	Heating element (recorded as "5670KW")	**1**
Backer	S4B 252046	**277 V**	**1.5 kW**	Heating element	**3**
Backer	S3C 273141 (G00050571004)	**220 V**	**900 W**	Heating element	**1**
Backer	1305.4719827-12	**–**	**–**	Heating element	**5**
Backer	S99	**230 V**	**3.2 kW**	Heating element	**2**

REFERENCE-CODED · 19 PCS

Elements Listed by RICA Reference

Mostly high-power 440–480 V elements, the typical ship galley supply. Listed by the RICA reference number recorded in our register.

Brand	Part no.	Volts	Power	Description	Qty
RICA	4153695	**230 V**	**3.5 kW**	Heating element	**2**
RICA	E79651 / OC5823 (7347706061740000)	**480 V**	**9 kW**	Boiler heating element, 6 × 1,500 W	**3**
RICA	9546252	**480 V**	**9 kW**	Heating element	**4**
RICA	3023383	**440 V**	**9 kW**	Heating element	**1**
RICA	3182963	**440 V**	**9 kW**	Heating element	**1**
RICA	3134208	**440 V**	**9 kW**	Heating element	**1**
RICA	4128665	**440 V**	**9 kW**	Heating element	**4**
RICA	4244883 (T160)	**440 V**	**17 kW**	Heating element	**1**
RICA	3183318	**230 V**	**6 kW**	Heating element	**1**
RICA	3185956	**230 V**	**2.5 kW**	Heating element	**1**

OTHER · 34 PCS

Other Heating Elements

Fryer, cartridge and special-size elements. The 70034406P (240 V, 8 kW) is our deepest line at 14 pieces.

Brand	Part no.	Volts	Power	Description	Qty
n/a	70034406P	**240 V**	**8 kW**	Heating element	**14**
n/a	M405256P	**240 V**	**10 kW**	Heating element	**2**
n/a	23850	**480 V**	**8.5 kW**	Fat fryer heating element, 277/480 V	**2**
TPFAY	FI0918C-SSEP	**415 V**	**9 kW**	Heating element, 240/415 V	**1**
Vest Supply AS	T-90150	**440 V**	**9 kW**	Heating element	**4**
n/a	ELRE015A	**460 V**	**6 kW**	Heating element, 4.5 / 6 kW, 400/460 V	**2**
Elmatic	25062012PC (319605)	**600 V**	**–**	Cartridge heating element, stainless steel	**5**
Volts	31053 (L86547)	**127 V**	**2 kW**	Heating element, 394 × 280 mm	**4**

HAZARDOUS-AREA · MARINE · INDUSTRIAL WIRING

Conduit Fittings, Junction Boxes & Enclosures

Appleton · Killark · Crouse-Hinds · Hawke · Bartec · Abtech · Rose · Naville

172 pieces of conduit outlet boxes, device boxes, sealing fittings and enclosures in stainless steel, GRP, aluminium and malleable iron, for both **US NEC conduit systems** and **IEC / ATEX hazardous-area installations**. Ready ex-stock for instrumentation and electrical contractors, rigs, refineries and shipyards.

172	28	26	4
pieces in stock	line items	EYS sealing fittings	materials: SS, GRP, Al, iron

Stock at a glance

Range	Lines	Pieces
Conduit Outlet Boxes, Device Boxes & Sealing Fittings	16	**122**
Hazardous-Area Enclosures & Terminal Boxes	9	**44**
Polyester & Stainless Junction Boxes	3	**6**
Total	**28**	**172**

US / NEC sites

Threaded conduit with outlet boxes, device boxes and EYS seals at hazardous-area boundaries. Common on US-built rigs and packages.

IEC / ATEX sites

Cable-gland entries (M20, M25, M40) into certified Ex enclosures and terminal boxes. Standard in India, the Gulf and Europe.

Non-hazardous

Polyester and stainless junction boxes for weatherproof general wiring on decks and in plants.

Sales tip: first ask whether the site wires in **conduit (NEC)** or **cable glands (IEC)**, then the size and number of entries. A shutdown or project short of a few boxes or seals will pay for ex-stock supply rather than wait for an import.

How to order

1. Send the part number, or the size, entries and certification you need.
2. We match it to stock and quote.
3. Dispatch from stock: single pieces or full lots.

Contact
Deepak · +91 77299 90663 · sales@kkdmarine.co.in

Contractor lots
Special pricing for E&I contractors taking a full range.

Genuine stock, subject to prior sale. Descriptions as recorded in our register; confirm certification and ratings against product markings. Hazardous-area equipment must suit the site's zone or class.

NEC · CONDUIT SYSTEM · 122 PCS

Conduit Outlet Boxes, Device Boxes & Sealing Fittings: Appleton · Killark · Crouse-Hinds

Threaded-conduit hardware for US-standard (NEC) installations on rigs, refineries and US-built vessels: outlet boxes in 2-, 3- and 4-way patterns, feed-through device boxes, and **Crouse-Hinds EYS sealing fittings**. Seals are required where conduit leaves a hazardous area, so they are always in demand on hazardous-location jobs. Confirm Class, Division and Group from each item's marking against the site requirement.

Brand	Part no.	Description	Qty
Killark	FSC-1M (C-19807)	Shallow feed-through device box, 1/2", iron	**50**
Appleton	EFDC175NLQ	EFD mounting body, 3/4", 1-gang, feed-through, malleable iron	**16**
Crouse-Hinds	EYS11	EYS conduit sealing fitting, 1/2", female	**20**
Crouse-Hinds	EYS1	EYS conduit sealing fitting, 1/2", female	**5**
Crouse-Hinds	EYS2	EYS conduit sealing fitting, 3/4", female	**1**
Appleton	GRX-50	Conduit outlet box, 1/2", 4-way	**6**
Appleton	GRX-50	Conduit outlet box, 3-way	**1**
Appleton	GRX-75	Conduit outlet box, 3/4", 4-way	**3**
Appleton	GRX-100	Conduit outlet box, 4-way	**7**
Appleton	CPU-GSU	Unilet conduit body, 4-way	**1**
Appleton	Malleable iron J/B	2-way, 1/2" inlet	**3**
Appleton	Malleable iron J/B	3-way, 1/2" inlet	**1**
Appleton	Malleable iron J/B	3-way, 3/4" inlet	**2**
Killark	GECXTF-2	Killark conduit box (type to confirm from label)	**2**
Killark	4-way box	Metal conduit box, 4-way, 1/2", with bottom hole	**2**
Gual	26	Metal conduit box, 3/4", 2-way	**2**

IEC · ATEX / IECEx RANGES · 44 PCS

Hazardous-Area Enclosures & Terminal Boxes: Hawke · Bartec · Abtech · Rose · Naville

Increased-safety (Ex e) style enclosures and terminal boxes from European hazardous-area specialists, in stainless steel, GRP and aluminium. Naville and Rose items are recorded as ATEX rated. Check certification and zone marking on each label before quoting for a hazardous area.

Brand	Part no.	Description	Qty
Naville	EWR10-P	Aluminium round junction box, 3-way, 1/2", ATEX rated	**19**
Hawke	S-Series Size 1	Stainless steel enclosure, 230 × 150 × 130 mm	**11**
Hawke	S-Series Size 4	Stainless steel enclosure, 400 × 370 × 160 mm	**1**
Hawke	PL630	Enclosure with M40 × 12 entries	**1**
Hawke	PL620	Enclosure, M20 × 3 (top & bottom), M25 × 1 (left & right)	**1**
Rose	Stainless wall box	Stainless steel, IP66, ATEX & IECEx, 300 × 400 × 161 mm	**1**
Bartec	Varnost 07-5178	Terminal box, IP65, 2.5 mm² terminals, 200 × 100 × 80 mm	**3**
Bartec	Varnost 07-5103-2552/5016	Terminal box, 500 V AC, 2.5 mm², IP66, 250 × 245 × 160 mm	**2**
Abtech	BPG 10	GRP enclosure, 13.79 W rating, 340 × 110 × 90 mm	**5**

GENERAL PURPOSE · 6 PCS

Polyester & Stainless Junction Boxes

Weatherproof junction boxes for non-hazardous areas: decks, utilities, workshops and outdoor wiring.

Brand	Part no.	Description	Qty
Steck	S309	Polyester junction box, 152 × 107 × 70 mm	**2**
n/a	Grey polyester J/B	Polyester junction box, 200 × 200 mm	**2**
n/a	Stainless steel J/B	Stainless steel junction box, 200 × 200 × 80 mm	**2**

GENUINE KUNKLE · EX-STOCK · NO IMPORT WAIT

Kunkle Safety Valves

ASME air/gas safety valves and liquid relief valves

Kunkle (now part of Emerson) is one of the most widely specified safety valve brands for compressed air, gas and liquid systems. We hold **74 relief and safety valves** in stock, including **41 Kunkle 6000-series ASME air/gas valves** and **10 Kunkle Model 20 liquid relief valves**, available now rather than after a 6–10 week import.

74	41	10	1/2"–2"
valves in stock	ASME VIII air/gas	liquid relief	inlet sizes

Kunkle stock at a glance: quantity by set pressure and inlet size

Set pressure	1/2"	1"	1-1/4"	1-1/2"	2"	Total
50 psig	–	–	–	2	–	**2**
70 psig	–	–	–	–	2	**2**
145 psig	10	–	–	–	–	**10**
150 psig	–	11	6	–	–	**17**
160 psig	–	11	5	1	–	**17**
175 psig	–	1	–	–	–	**1**
200 psig	2	–	–	–	–	**2**

Need a different set pressure?

The Kunkle 6010 is designed for set pressures from **3 to 300 psig** on air/gas, and the Model 20 from **15 to 300 psig** on liquid. A valve in stock at 150 psig can usually be **re-set to your required pressure**, re-tested and re-tagged, on the existing spring or with a replacement spring.

Tell us your required set pressure, size and service. We confirm feasibility and lead time. ASME-stamped valves are re-set only through a certified valve repair centre.

How to read a Kunkle 6000-series part number

6010	F	E	M	01	K M 0150
Model: bronze safety valve	Orifice size (D–J)	Inlet: C ½" · E 1" · F 1¼" · G 1½" · H 2"	Seat: metal	01 plain lever · 02 with vibration dampener	K = air/gas ASME VIII · M = SS spring · set psig

KUNKLE · ASME VIII · AIR/GAS

Kunkle 6010 Bronze Safety Valves: ASME Section VIII, Air/Gas


Kunkle 6010

The industry-standard bronze safety valve for compressed air and gas. Service code "K" means air/gas, ASME Section VIII (UV), and the bronze versions are National Board certified. Every valve is factory-tested for set pressure and leakage. The model is built for set pressures of **3–300 psig** on air/gas.

Typical use: Air compressors and receivers · instrument and plant air headers · nitrogen and inert gas systems · ship and rig service-air

Part no.	Size (inlet)	Set psig	Details	Qty
6010DCM01-KM-0145	**1/2"**	**145**	Orifice D · metal seat · Plain lever	**6**
6010DCM01-KM (200 psig)	**1/2"**	**200**	Orifice D · metal seat · Plain lever	**2**
6010EEM02-KM-0160	**1"**	**160**	Orifice E · metal seat · Plain lever + vibration dampener	**2**
6010EEM02-KM-0175	**1"**	**175**	Orifice E · metal seat · Plain lever + vibration dampener	**1**
6010FEM01-KM-0150	**1"**	**150**	Orifice F · metal seat · Plain lever	**4**
6010FEM02-KM-0150	**1"**	**150**	Orifice F · metal seat · Plain lever + vibration dampener	**3**
6010FEM01-KM-0160	**1"**	**160**	Orifice F · metal seat · Plain lever	**7**
6010FEM02-KM-0160	**1"**	**160**	Orifice F · metal seat · Plain lever + vibration dampener	**2**
6010FFM01-KM	**1-1/4"**	**160**	Orifice F · metal seat · Plain lever	**5**
6010HGM01-KM-0160	**1-1/2"**	**160**	Orifice H · metal seat · Plain lever	**1**
6010JHM02-KM	**2"**	**70**	Orifice J · metal seat · Plain lever + vibration dampener	**2**

KUNKLE · AIR ONLY

Kunkle 6186: Compressor Safety Valve


Kunkle 6000 series (representative)

Bronze air-service safety valve, the successor to the Kunkle Model 86, built into compressor packages by OEMs. Maximum set pressure 150 psig.

Typical use: Compressor OEM replacement · packaged air compressors · air receivers up to 150 psig

Part no.	Size (inlet)	Set psig	Details	Qty
6186GFM01-KM-0150	**1-1/4"**	**150**	Orifice G · metal seat · plain lever	**6**

KUNKLE · LIQUID RELIEF

Kunkle Model 20: Liquid Relief Valves (Non-Code)



Kunkle Model 20

Bronze safety relief valves for **liquid** service, with MNPT inlet and FNPT side outlet. Set range for the model is 15–300 psig. These are non-code valves, so they carry no ASME stamp.

Typical use: Pump discharge and by-pass protection · water, oil and hydraulic lines · fire-water and cooling systems · heat-exchanger thermal relief

Part no.	Size (inlet)	Set psig	Details	Qty
0020-C01-MG-0145	**1/2"**	**145**	MNPT × FNPT side outlet	**4**
0020-E01-MG-0150	**1"**	**150**	MNPT × FNPT side outlet	**4**
0020-G01-MG	**1-1/2"**	**50**	MNPT × FNPT side outlet	**2**

KUNKLE · CHECK NAMEPLATE

Kunkle: Other Models (Details to Confirm)

Photo to be added

Genuine Kunkle relief valves whose full model code is not in our register. The data plate on each valve confirms model, service and set pressure.

Typical use: Offered on enquiry after a nameplate check

Part no.	Size (inlet)	Set psig	Details	Qty
A3W-12	**1-1/4" (32 mm)**	**150**	Kunkle, model to confirm from nameplate	**1**
S10 / S10M, stainless steel	**1-1/4" (32 mm)**	**150**	Kunkle SS safety valve, confirm from nameplate	**1**
Kunkle (model not recorded)	**1-1/4"**	**75**	Read model from nameplate	**1**

OTHER BRANDS

Other Relief & Pressure Control Valves


Watts 530 series

Branded relief, safety and pressure-reducing valves from Watts, Kingston, Aquatrol and Apollo, ready ex-stock for like-for-like replacement.

Typical use: Air receivers · boiler and hot-water systems · water and oil lines · building services

Part no.	Size (inlet)	Set psig	Details	Qty
Kingston safety valve, soft seat	**1/2" NPT**	**175**	Capacity 162 SCFM (air)	**6**
Watts 53 / 530 series, 1X624A	**1/2"**	**–**	Relief valve: water, oil, air	**3**
Aquatrol 89A2AK	**1/2" × 3/4"**	**200**	Safety relief valve	**2**
Aquatrol 570DD1M9K1	**3/4" MNPT × 3/4" FNPT**	**–**	Relief valve	**2**
Aquatrol (model not recorded)	**1/2"**	**130**	Relief valve	**1**
4TK22	**n/a**	**–**	Safety valve, catalogue no. 4TK22; confirm details from tag	**2**
Apollo 1AKGFK175	**1-1/4" × 1-1/2"**	**175**	Apollo safety relief valve	**1**
Apollo 36H208	**2"**	**–**	High-capacity pressure reducing valve	**1**
Fixed flow regulator, brass NPT	**n/a**	**–**	0.5 L/min @ 1,200 psi	**2**

How to order

1. Send us the size, service (air, gas or liquid) and set pressure you need, or the nameplate of the valve you're replacing.
2. We match it to stock: as is, or re-set to your pressure.
3. Dispatch with test certificate.

Contact
Name · Mobile · Email

Lot offers
Special pricing for the full Kunkle lot or all valves of one size.

GENUINE LEWIS · EX-STOCK · 1/4" TO 4-1/4" ROPE

Lewis Snake Grips

Wire rope and cable pulling grips



Lewis Snake Grip

The quickest way to **change or reeve wire rope**. A woven grip slides over the rope end and tightens as it is pulled: the harder the pull, the tighter the grip. Attach the new rope to the old one and use the old rope to pull the new one through sheaves, blocks and drums. **No special tools, no welding or splicing.** The low-profile swivel passes through blocks and stops the line twisting.

120
grips in stock

2
types: single and double

1/4"–4-1/4"
rope and cable range

8,000 lb
max working load

Stock and ratings by rope size range

Rope / cable size range	LSG single (qty)	LSGX double (qty)	Working load	Ultimate strength
1/4" – 1/2"	20	15	1,200 lb	4,486 lb
1/2" – 1"	5	12	2,500 lb	7,500 lb
1" – 1-1/2"	9	9	3,500 lb	10,000 lb
1-1/2" – 2"	–	4	4,000 lb	12,000 lb
2" – 2-3/4"	15	18	5,000 lb	16,000 lb
2-3/4" – 3-1/2"	9	–	6,500 lb	20,000 lb
3-1/2" – 4-1/4"	4	–	8,000 lb	24,000 lb
Total	62	58		

Sales tip: ask "what size wire rope are you changing?" Every crane, rig drawworks, winch and mooring line needs rope changed regularly, and one grip is reused for every change.

LSG: Single Snake Grip

One woven grip with a swivel eye. Grips the end of a rope or cable so it can be pulled, anchored or hauled into position. The grip expands or contracts to suit any rope within its size range.

LSGX: Double Snake Grip

Two grips permanently joined by a heavy-duty, permanently greased friction swivel. **Joins the old rope to the new rope** for a straight pull-through. The two halves cannot be separated, and the size range and working load are stencilled on the swivel tube.

Where it is used

- Drilling rigs: drill line slip-and-cut and change-out
- Offshore and port cranes: hoist and boom rope replacement
- Ships: winch, windlass and mooring wire changes
- Mining hoists and draglines
- EOT and gantry cranes in steel plants
- Power and telecom: cable stringing and pulling
- Elevator and lift rope replacement
- Tower cranes and construction hoists

Why buyers choose it

- Rope change in hours, not a full shift
- No socketing or splicing to join ropes
- Swivel prevents twist being fed into new rope
- Reusable: one grip serves many rope changes
- Fits a range of sizes, not just one diameter
- Passes through sheaves and blocks

Safe use:

- Always seize the ends of the grips by banding or taping (manufacturer's instruction).
- Choose the grip whose size range covers your rope, and never exceed the rated working load.
- For pulling and reeving only. Not for lifting loads or personnel.

How to order

1. Tell us the rope or cable diameter, and whether you are pulling one rope (LSG) or joining old to new (LSGX).
2. We confirm the matching size from stock and quote.
3. Dispatch from stock: single pieces, a size set, or the full lot.

Contact
Deepak · +91 77299 90663 · sales@kkdmarine.co.in

Rig and fleet sets
Ask for a size set covering all rope sizes on your rig, vessel or crane fleet.

SIGNALLING · HAZARDOUS-AREA · MARINE · EMERGENCY

Industrial Lights, Beacons & Ballasts

E2S · MEDC · Crouse-Hinds · Stahl · Aqua Signal · Aquafine · Philips Bodine

445 pieces of branded warning beacons, strobes and sounders, industrial and hazardous-area luminaires, marine navigation light spares, UV-C water-treatment lamps and emergency lighting ballasts. These are mostly imported brands that are slow and costly to source one-off, and all ready to ship.

445	56	76	256
pieces in stock	line items	beacons and sounders	emergency and ballasts

Stock at a glance

Range	Lines	Pieces
Beacons, Strobes & Sounders	24	**76**
Industrial & Hazardous-Area Luminaires	11	**49**
Aqua Signal Navigation Light Lenses	3	**26**
UV-C Lamps & Sleeves	3	**38**
Emergency Lighting, Exit Lamps & Ballasts	15	**256**
Total	**56**	**445**

Sales tip: most of these are replacement parts. A customer with a failed E2S, MEDC or Moflash beacon, a broken nav light lens or a spent Aquafine lamp wants the **exact same part**, fast. Ask for the part number or a photo of the label, and match it to this list.

How to order

1. Send the part number, or a photo of the product label.
2. We match it to stock and quote.
3. Dispatch from stock: single pieces or full lots.

Contact
Deepak · +91 77299 90663 · sales@kkdmarine.co.in

Lot offers
Special pricing on the Bodine emergency ballast lot (120 pcs) and full ranges.

Genuine stock, subject to prior sale. Descriptions from our register and maker data; confirm ratings against product labels. Hazardous-area equipment must suit the site's zone or class.

SIGNALLING · ALARM

Beacons, Strobes & Sounders



E2S L101X beacon

Visual and audible warning devices from leading signalling brands: E2S (UK), MEDC (now Eaton), Moflash, Werma, FHF, Federal Signal and Tomar. Xenon and LED beacons, combined sounder-beacons, and an explosion-proof strobe. E2S L101X units are EN54-23 rated for fire alarm visual signalling.

Typical use: Fire and gas alarm systems · machine and process status · crane and vehicle warning · engine rooms and noisy plant · **Stock:** 76 pcs

Make / part no.	Description	Qty
E2S L101XAC230BR/A	Xenon flashing beacon, 5 J, 230 V AC, amber lens, IP66, EN54-23	1
E2S L101XAC230BR/B	Xenon flashing beacon, 5 J, 230 V AC (lens colour per suffix /B)	2
E2S MB010DC24G-YW	Beacon, 24 V DC (recorded as red)	1
E2S SONFL1DC24R/A-WR	Combined sounder and flashing light, 24 V DC	1
MEDC XB4, 230 V AC	Xenon beacon, red body, green lens, metal guard	7
MEDC XB4, 24 V DC	Xenon beacon, yellow body, amber lens, metal guard	5
MEDC XB4, 24 V DC	Xenon beacon, yellow body, red lens	2
MEDC XB13	Beacon, clear, 115 V AC, 180 mA, IP66/67, NEMA 4X & 6	1
MEDC SM87HXB	MEDC signal unit (type to confirm from label)	2
Moflash R200-05-05	Signalling beacon, 230 V, clear	16
Moflash R200-05-05	Signalling beacon, 230 V, red	1
Tomar 7120BEP	Explosion-proof power strobe, amber, 120 V AC, 2.3 A	1
Federal Signal 151XST-120B	Strobe light, blue, 120 V	1
Federal Signal 2000 Series	LED beacon, 110–240 V AC, 0.22 A	2
Delta Design LT4XMV / 5 (31105270)	Xenon beacon with acoustic signal (optical/acoustic), amber	1
Werma 884 X00 68	Werma signal light	2
Werma K249	Square LED visual beacon	2
Menics AVGB-20-R	Signal light, red	2
Yuqin BSW9812	Strobe light	1
FHF 11883204	FHF signal light	1
FHF D45478	FHF signalling device (confirm from label)	2
FHF SLD1 (FHF22200202)	24 V DC, 3 A signalling device	19
BEKA	Solid-state alarm sounder	1
Hella 2RL006295-111	Rotating beacon cover (spare)	2

LIGHTING · INDUSTRIAL & HAZARDOUS

Industrial & Hazardous-Area Luminaires


Crouse-Hinds Champ EVLED

Area lighting for industrial and marine sites, including the Crouse-Hinds Champ EVLED: a factory-sealed LED luminaire for Class I, Division 1 hazardous locations. Also Pauluhn (Cooper) and Stahl Tranberg marine fittings.

Typical use: Refineries and rigs · process areas · ship decks and accommodation · perimeter lighting · **Stock:** 49 pcs

Make / part no.	Description	Qty
Crouse-Hinds EVLEDC701	Champ EVLED LED luminaire, white, Class I Div 1, 2,900 lm	3
Crouse-Hinds EVMBX92251/120 S828	LED luminaire (confirm series from label)	9
Cooper Pauluhn FBL18	Pauluhn light fitting	16
Stahl Tranberg 2430200	LED perimeter light, 20 W, 230 V AC, 50 Hz	1
Unilux U 2093	Light fitting, 110 V, 1 × TC 5–7 W, IP64	12
Naville Giroled EW15/1	LED lamp, 120 V, 10 W, IP65	1
Fort Light TLSW035	Industrial light, 160 W, 220 V	1
Kennedy KEN-503-5090K	Industrial light	1
DL Mfg Versa Light VL420X	Versa Light with flex tube	1
Woodhead 4V363	Woodhead lighting item (confirm from label)	3
ALP Lexalite 921438	Red cover, 250 mm, large (auto 80860005)	1

MARINE · NAVIGATION

Aqua Signal Navigation Light Lenses


Aqua Signal navigation light (representative)

Replacement lenses for Aqua Signal navigation lights: red for port, green for starboard, plus clear. Damaged nav light lenses must be replaced to keep the vessel compliant with COLREG.

Typical use: Ship and boat yards · vessel operators · offshore supply vessels · **Stock:** 26 pcs

Make / part no.	Description	Qty
Aqua Signal 8307001900	Navigation light lens, red (port)	13
Aqua Signal 8307001800	Navigation light lens, green (starboard)	12
Aqua Signal 8307001700	Navigation light lens, clear	1

WATER TREATMENT · HVAC

UV-C Lamps & Sleeves

Photo to be added

Replacement UV-C lamps and outer tubes for Aquafine (Evoqua) water-treatment systems and Steril-Aire HVAC units. The Aquafine 18197 is a high-output, ozone-producing lamp.

Typical use: Ultrapure and RO water plants · pharma and electronics water systems · HVAC coil and air disinfection · **Stock:** 38 pcs

Make / part no.	Description	Qty
Aquafine 18197	Single-ended UV-C lamp, high output, ozone-producing, 80 W, 856 mm	15
Aquafine ColorGuard	UV lamp outer tubes, L = 32.8", Ø 25.4 mm	9
Steril-Aire GTD 22 VO	UV-C lamp	14

EMERGENCY · EXIT · BALLASTS

Emergency Lighting, Exit Lamps & Ballasts



Bodine emergency LED driver (representative)

Emergency ballasts and LED drivers that keep lights running on battery during a power failure (Philips Bodine, HEP), plus standard electronic ballasts, LED units, exit sign lamps and an explosion-proof emergency fixture. **120 pcs of Bodine BHD65U** make this a strong lot offer for contractors.

Typical use: Building and plant emergency lighting · fire-code upgrades · accommodation modules · retrofit projects · **Stock:** 256 pcs

Make / part no.	Description	Qty
Appleton AP1050186DM	Explosion-proof emergency light fixture, 6 V, 18 W	1
Lumatec A8 L3RW3/1-TA	Exit sign lamps	15
Philips Bodine BHD65U	Emergency ballast / driver	120
Bodine BDL60U	Emergency ballast / driver	10
Philips EB120A16/26P	Emergency ballast	9
Philips EB220A16/26	Emergency ballast, 2 × 20 W	3
HEP EV-U 5-80 SW 100V	Emergency unit	10
HEP EVUL10W200UNI	Emergency LED unit	4
HEP LLC40W700 UNI	LED driver	3
Fulham TXG270	Ballast / driver	4
Arlen EFA HFL218-40M	Electronic ballast	35
Basic-12 234SR120M-A	Ballast	14
Sunlux SF-UV-40/20-1/2-FL	Electronic ballast for UV lamps	21
Cree UR2-48-45L-S-FD-DR	Cree UR2 LED unit, 48"	5
Cree UR2-24-36L-S-FD-DR	Cree UR2 LED unit, 24"	2

GREASES · AEROSOLS · ANTI-SEIZE · NDT · CORROSION PROTECTION

Lubricants, Greases & Maintenance Sprays

Shell · Mobil · Total · Castrol · CRC · Weicon · Bostik · 3M · perma

2,409 pieces of branded maintenance consumables: industrial and marine greases, automatic lubricators, aerosol cleaners and penetrants, cold galvanizing sprays, anti-seize compounds and a dye-penetrant crack-testing set. These are the everyday items every plant, workshop and vessel uses, available in mixed quantities from one source.

2,409
pieces in stock

70
products

1162
greases and lubricators

1051
aerosols and sprays

Stock at a glance

Range	Lines	Pieces
Industrial & Marine Greases	24	**1162**
Anti-Seize Compounds	6	**24**
Superon Dye-Penetrant Testing Set	3	**138**
Cold Galvanizing Sprays & Paints	8	**364**
Brake, Parts & Electrical Cleaners	15	**559**
Penetrants, Lubricant Sprays & Protectants	11	**128**
Adhesives	3	**34**
Total	**70**	**2409**

Reading a Shell Gadus name

S3 V460 2

S2 / S3 / S5: performance tier
Higher numbers are higher-performance grades.

V100 / V220 / V460: base-oil viscosity
cSt at 40 °C. Higher suits slower, heavier-loaded bearings.

Last digit: NLGI grade
2 is the standard consistency; 3 is stiffer.

Sales tip: offer these as a **maintenance consumables bundle** (grease + brake cleaner + penetrant + zinc spray + anti-seize) to shipyards, ship chandlers, rigs and plant stores. Mixed bundles clear odd quantities far faster than selling one product at a time.

How to order

1. Send the product name and quantity, or your consumables list.
2. We match it to stock and quote, with batch dates on request.
3. Dispatch from stock: single cartons, mixed bundles or full lots.

Contact
Deepak · +91 77299 90663 · sales@kkdmarine.co.in

Bundles & lots
Special pricing on mixed consumables bundles and full product lots.

GREASES · CARTRIDGES · LUBRICATORS · 1162 PCS

Industrial & Marine Greases

Major-brand greases in 400 g cartridges and tins, plus perma automatic single-point lubricators. Includes Mobil Polyrex EM for electric-motor bearings, Total Ceran XM calcium sulphonate grease for wet, heavy-duty plant, and **400 cartridges of Shell Gadus S3 V460D 2**.

Product	Description	Qty
Shell Gadus S3 V460D 2	Heavy-duty industrial grease, NLGI 2	**400**
Shell Gadus S2 V100 3	Industrial bearing grease, NLGI 3	**60**
Shell Gadus S2 V100 2	Industrial bearing grease, NLGI 2	**28**
Shell Gadus S2 V220 2	Industrial EP grease, NLGI 2	**20**
Shell Gadus S5 V100 2	Premium high-performance grease, NLGI 2	**60**
Mobil Polyrex EM	Electric motor bearing grease, 400 g cartridge	**30**
Mobil Polyrex EM (black)	Motor bearing grease, 400 g	**50**
Total Ceran XM 220	Calcium sulphonate complex heavy-duty multipurpose grease, NLGI 1.5	**60**
Castrol Pyroplex EP2	EP grease, 400 g cartridge	**20**
Chevron Multifak EP2	EP multipurpose grease	**4**
Mystik general purpose	Grease, NLGI 2	**100**
Mystik JT-6 marine (blue)	High-performance marine grease, 400 g cartridge	**50**
Mystik JT-6 marine (blue)	High-performance marine grease, 1 lb	**11**
Mystik JT-6 high temp (red)	High-temperature grease, NLGI 2, 400 g	**4**
Mystik JT-6 multipurpose	Grease, NLGI 2, 3 oz (85 g)	**30**
Mystik JT-6 multipurpose	Grease, NLGI 2, 1 lb (454 g)	**10**
Jet-Lube AP-5	High-temperature multipurpose grease, 400 g cartridge	**20**
327-C Armor Plate with Moly-D	Moly grease, 400 g cartridge	**20**
Lubriplate 630-AA	Lubriplate grease	**82**
Mobiltac 375 NC	Mobiltac heavy-duty lubricant	**10**
Bettis 71164	Bettis actuator lubricant for ESL-4, 5 & 10	**23**
Sterling VA42	Sterling lubricant	**12**
perma FLEX 125 (107212)	Automatic single-point lubricator, filled with S2 V100 3	**51**
perma FLEX 125 (107161)	Automatic single-point lubricator, SF02 fill	**7**

ANTI-SEIZE · 24 PCS

Anti-Seize Compounds

Nickel and copper anti-seize compounds that stop threads, flanges and bolts galling or seizing at high temperature. Nickel grades suit stainless steel and high-temperature joints.

Product	Description	Qty
Bostik Never-Seez Pure Nickel Special	Nickel anti-seize compound	**7**
Bostik Never-Seez Regular Grade	Anti-seize compound	**8**
Jet-Lube SS-30	Pure copper anti-seize compound	**2**
Devcon Stop Seize	Copper anti-seize	**2**
Spanjaard nickel anti-seize	Nickel compound, 500 g	**4**
Spanjaard copper anti-seize	Copper compound, 500 g	**1**

NDT · CRACK TESTING · 138 PCS

Superon Dye-Penetrant Testing Set

The three-step visible dye-penetrant system used to find surface cracks in welds, castings and lifting gear: clean, apply penetrant, then develop. Stock makes up **38 complete sets** (cleaner + penetrant + developer).

Product	Description	Qty
Superon Super Penetrant	Dye penetrant (step 2)	**50**
Superon Super Developer	Developer (step 3)	**50**
Superon Super Cleaner	Cleaner / remover (step 1)	**38**

CORROSION PROTECTION · 364 PCS

Cold Galvanizing Sprays & Paints

Zinc-rich cold galvanizing sprays for touching up cut, welded or damaged galvanized steel, plus primers and paints. A standard consumable for structural, marine and pipe-rack maintenance.

Product	Description	Qty
CRC Zinc It	Cold galvanizing zinc spray	**127**
Crown 7007	Cold galvanizing spray	**98**
Weicon Galva Spray	Zinc spray	**60**
Spanjaard Cold Galvanize	Cold galvanizing spray	**24**
Professional zinc-rich	Cold galvanizing spray	**4**
Professional Spray Fill	Spray filler / primer	**4**
Krylon	Gloss white spray paint	**27**
Wattyl Killrust	Epoxy glass enamel, pewter	**20**

ADHESIVES · 34 PCS

Adhesives

Contact and spray adhesives from 3M and Bostik.

Product	Description	Qty
3M Scotch-Weld 1099	Vinyl adhesive	**20**
Bostik 1430	Contact adhesive	**12**
3M Super 77	Spray adhesive	**2**

CLEANERS · DEGREASERS · 559 PCS

Brake, Parts & Electrical Cleaners

Aerosol parts cleaners (CRC Brakleen, TRW, Weicon) and electrical contact cleaners and degreasers (CRC Lectra Clean, NF and CO). These are high-turnover workshop and maintenance consumables.

Product	Description	Qty
CRC Brakleen 05089	Brake and parts cleaner, aerosol	**214**
CRC Brakleen 5089E	Brake and parts cleaner, aerosol	**18**
CRC Brakleen	Brake parts cleaner, aerosol	**30**
TRW	Brake cleaner, aerosol	**107**
Weicon	Brake cleaner, aerosol	**91**
Spanjaard	Brake cleaner, aerosol	**6**
CRC Lectra Clean	Heavy-duty electrical degreaser	**45**
CRC NF Contact Cleaner	Electrical contact cleaner	**18**
CRC CO Contact Cleaner	Electrical contact cleaner	**6**
CRC Electrical Parts Cleaner	Electrical parts cleaner	**5**
RS antistatic cleaner	Antistatic cleaner	**9**
Krylon	Battery cleaner	**3**
3M	Stainless steel cleaner & polish	**3**
Protech	Air duster	**1**
Loctite SF 790	Gasket remover	**3**

MAINTENANCE SPRAYS · 128 PCS

Penetrants, Lubricant Sprays & Protectants

CRC maintenance aerosols for freeing seized parts, lubricating, protecting batteries and dressing belts.

Product	Description	Qty
CRC Penetr8	High-speed penetrant	**24**
CRC 5-56	Multi-purpose lubricant / penetrant	**1**
CRC Hot Shot	CRC Hot Shot aerosol	**35**
CRC Geltac	Gel lubricant spray	**24**
CRC Tac2	Adhesive lubricant	**11**
CRC Soft Seal	Corrosion protection coating	**9**
CRC Battery Maintenance	Battery care spray	**10**
CRC Battery Terminal Protector	Terminal protector	**3**
CRC Belt Grip	Belt dressing	**5**
Spanjaard	Belt dressing	**1**
Parker 85-0050	Pump oil	**5**

HYDRAULICS · HOSE ASSEMBLY · TUBE SYSTEMS

Parker Hydraulic Fittings

Crimp hose fittings · Inch tube fittings · Metric EO / DIN fittings

Genuine Parker hydraulic fittings: **2,400 pieces across 294 part numbers**. Ready ex-stock for hose-assembly shops, rig and vessel hydraulic maintenance, crane and winch repair, and machinery OEMs. These are the fittings a hose shop runs out of in the middle of a breakdown job.

2,400
fittings in stock

294
part numbers

993
crimp hose fittings

95
subsea couplings (obsolete range)

Stock by family

Family	Lines	Pieces
Crimp Hose Fittings: 43 Series	41	**600**
Crimp Hose Fittings: 70-Series (70/71/73/77/78/79)	38	**315**
Other Hose Fittings	3	**78**
Subsea / Thermoplastic Hose Couplings (hard to find)	1	**95**
Inch Tube Fittings & Adapters	104	**528**
Metric Tube Fittings: EO / DIN 24° Cone	107	**784**
Total	**294**	**2400**

How to read a Parker hose-fitting number

1CA43–8–4

1CA: end style
The connection type and shape (straight, 45°, 90°; JIC, ORFS, BSP, NPT etc.) from Parker's catalogue.

43: fitting series
43 suits 1- and 2-wire braided hose; 70-series fittings suit spiral hose.

-8 / -4: dash sizes
In sixteenths of an inch: -8 = 1/2" thread, -4 = 1/4" hose. Each line in this catalogue is decoded.

Sales tip: hose shops buy by **series + style + dash size**. Send this list to hydraulic hose-assembly workshops near ports, shipyards and steel plants. They can match it against their own crimp-fitting requirements in minutes.

How to order

1. Send Parker part numbers, or the end style, series and dash sizes you need.
2. We match them to stock and quote.
3. Dispatch from stock: single pieces or bulk lots.

Contact
Deepak · +91 77299 90663 · sales@kkdmarine.co.in

Hose-shop lots
Special pricing for taking a full series or the complete fittings stock.

41 LINES · 600 PCS

Crimp Hose Fittings: 43 Series

For 1- and 2-wire braided hydraulic hose. Code: style + series 43 – thread dash – hose dash.

Part no.	Size / type	Qty
10143-16-16	Thread -16 (1") · Hose -16 (1")	17
10143-16-16C	Thread -16 (1") · Hose -16 (1")	1
10143-20-20	Thread -20 (1-1/4") · Hose -20 (1-1/4")	4
10143-24-24	Thread -24 (1-1/2") · Hose -24 (1-1/2")	4
10643-24-24	Thread -24 (1-1/2") · Hose -24 (1-1/2")	2
10643-32-32	Thread -32 (2") · Hose -32 (2")	6
10643-32-32C	Thread -32 (2") · Hose -32 (2")	6
10C43-20-10	Thread -20 (1-1/4") · Hose -10 (5/8")	7
11C43-10-6	Thread -10 (5/8") · Hose -6 (3/8")	14
11C43-12-6C	Thread -12 (3/4") · Hose -6 (3/8")	5
13743-20-20	Thread -20 (1-1/4") · Hose -20 (1-1/4")	2
13943-16-16	Thread -16 (1") · Hose -16 (1")	5
13943-24-24	Thread -24 (1-1/2") · Hose -24 (1-1/2")	3
1C443-10-6	Thread -10 (5/8") · Hose -6 (3/8")	18
1C943-10-6	Thread -10 (5/8") · Hose -6 (3/8")	10
1C943-20-10	Thread -20 (1-1/4") · Hose -10 (5/8")	18
1C943-20-12	Thread -20 (1-1/4") · Hose -12 (3/4")	8
1CA43-10-4	Thread -10 (5/8") · Hose -4 (1/4")	12
1CA43-10-6	Thread -10 (5/8") · Hose -6 (3/8")	30
1CA43-15-8	Thread -15 (15/16") · Hose -8 (1/2")	10
1CA43-18-12	Thread -18 (1-1/8") · Hose -12 (3/4")	17
1CA43-22-12	Thread -22 (1-3/8") · Hose -12 (3/4")	21
1CA43-28-16	Thread -28 (1-3/4") · Hose -16 (1")	32
1CA43-8-4	Thread -8 (1/2") · Hose -4 (1/4")	90
1CE43-10-6	Thread -10 (5/8") · Hose -6 (3/8")	33
1CE43-15-8	Thread -15 (15/16") · Hose -8 (1/2")	27
1CE43-18-10	Thread -18 (1-1/8") · Hose -10 (5/8")	8
1CE43-22-12	Thread -22 (1-3/8") · Hose -12 (3/4")	26
1CE43-28-16	Thread -28 (1-3/4") · Hose -16 (1")	1
1CE43-6-4	Thread -6 (3/8") · Hose -4 (1/4")	17
1CF43-10-4	Thread -10 (5/8") · Hose -4 (1/4")	7
1CF43-10-5	Thread -10 (5/8") · Hose -5 (5/16")	5
1CF43-10-6	Thread -10 (5/8") · Hose -6 (3/8")	3
1CF43-12-6	Thread -12 (3/4") · Hose -6 (3/8")	9
1CF43-15-8	Thread -15 (15/16") · Hose -8 (1/2")	4
1CF43-18-10	Thread -18 (1-1/8") · Hose -10 (5/8")	2
1CF43-22-12	Thread -22 (1-3/8") · Hose -12 (3/4")	3
1CF43-28-16	Thread -28 (1-3/4") · Hose -16 (1")	5
1CF43-35-20	Thread -35 (2-3/16") · Hose -20 (1-1/4")	4
1D943-6-6	Thread -6 (3/8") · Hose -6 (3/8")	100
1J143-12-12	Thread -12 (3/4") · Hose -12 (3/4")	4

1 LINES · 95 PCS Subsea / Thermoplastic Hose Couplings (hard to find)

Parker E-series crimp coupling for thermoplastic oil & gas hose, used on subsea, ROV and BOP-control hose lines. Parker lists the E-series as **obsolete**, so remaining stock is scarce.

Part no.	Size / type	Qty
E213JFC4 (Parker ref. 106E3-8-8C)	Subsea coupling, female JIC swivel, -8 (3/4"-16 JIC thread)	95

38 LINES · 315 PCS Crimp Hose Fittings: 70-Series (70/71/73/77/78/79)

For high-pressure spiral hydraulic hose. Match the series to the customer's hose.

Part no.	Size / type	Qty
10671-12-12C	Thread -12 (3/4") · Hose -12 (3/4")	1
10671-16-12C	Thread -16 (1") · Hose -12 (3/4")	21
10678-12-12C	Thread -12 (3/4") · Hose -12 (3/4")	1
10678-16-16	Thread -16 (1") · Hose -16 (1")	1
10678-16-16C	Thread -16 (1") · Hose -16 (1")	7
10678-20-20	Thread -20 (1-1/4") · Hose -20 (1-1/4")	8
10678-24-24	Thread -24 (1-1/2") · Hose -24 (1-1/2")	5
10C77-16-8	Thread -16 (1") · Hose -8 (1/2")	3
10C77-20-12	Thread -20 (1-1/4") · Hose -12 (3/4")	7
10C77-25-16	Thread -25 (1-9/16") · Hose -16 (1")	18
10C77-30-16	Thread -30 (1-7/8") · Hose -16 (1")	9
10C77-38-20	Thread -38 (2-3/8") · Hose -20 (1-1/4")	9
11571-24-24	Thread -24 (1-1/2") · Hose -24 (1-1/2")	2
11573-16-16	Thread -16 (1") · Hose -16 (1")	23
11971-16-16	Thread -16 (1") · Hose -16 (1")	1
11971-24-24	Thread -24 (1-1/2") · Hose -24 (1-1/2")	2
11978-16-16	Thread -16 (1") · Hose -16 (1")	10
11C77-16-8	Thread -16 (1") · Hose -8 (1/2")	2
11C77-25-16	Thread -25 (1-9/16") · Hose -16 (1")	19

Part no.	Size / type	Qty
11C77-30-16	Thread -30 (1-7/8") · Hose -16 (1")	8
11C77-38-20	Thread -38 (2-3/8") · Hose -20 (1-1/4")	9
13971-16-16	Thread -16 (1") · Hose -16 (1")	3
13973-24-24-SM	Thread -24 (1-1/2") · Hose -24 (1-1/2")	9
13978-16-16	Thread -16 (1") · Hose -16 (1")	4
13978-20-20	Thread -20 (1-1/4") · Hose -20 (1-1/4")	6
14N78-20-20	Thread -20 (1-1/4") · Hose -20 (1-1/4")	9
14N78-24-24	Thread -24 (1-1/2") · Hose -24 (1-1/2")	6
16A79-20-20	Thread -20 (1-1/4") · Hose -20 (1-1/4")	8
16N71-20-20	Thread -20 (1-1/4") · Hose -20 (1-1/4")	1
16N77-12-16	Thread -12 (3/4") · Hose -16 (1")	2
16N77-16-16	Thread -16 (1") · Hose -16 (1")	5
16N77-20-20	Thread -20 (1-1/4") · Hose -20 (1-1/4")	6
1C977-16-8	Thread -16 (1") · Hose -8 (1/2")	15
1C977-25-16	Thread -25 (1-9/16") · Hose -16 (1")	24
1C977-30-16	Thread -30 (1-7/8") · Hose -16 (1")	44
1C977-38-20	Thread -38 (2-3/8") · Hose -20 (1-1/4")	1
1C977-38-24	Thread -38 (2-3/8") · Hose -24 (1-1/2")	5
1C978-38-24C	Thread -38 (2-3/8") · Hose -24 (1-1/2")	1

3 LINES · 78 PCS Other Hose Fittings

Other Parker hose-fitting series, including a field-attachable fitting.

Part no.	Size / type	Qty
10655-8-8C	Thread -8 (1/2") · Hose -8 (1/2")	66
20622-32-32	Thread -32 (2") · Hose -32 (2")	4
56558-6-6S	Thread -6 (3/8") · Hose -6 (3/8")	8

104 LINES · 528 PCS

Inch Tube Fittings & Adapters

Parker inch tube fittings and port adapters in steel ("-S") and stainless steel ("-SS"). The leading number is the tube size in sixteenths of an inch.

Part no.	Size / type	Qty
10 V5OX-S	Tube 5/8", steel	6
10 XHL6-S	Tube 5/8", steel	4
10-10-12S5OX-S	Tube 5/8" × 5/8" × 3/4", steel	2
10-12CTX-S	Tube 5/8" × 3/4", steel	3
10-12V5OX-S	Tube 5/8" × 3/4", steel	5
10-8F50X-S	Tube 5/8" × 1/2", steel	13
10C50X-S	Tube 5/8", steel	5
10HMTXS	Tube 5/8", steel	19
10LOHX6-S	Tube 5/8", steel	4
10M18C80MX-S	Tube 5/8", steel	5
10XHLO-S	Tube 5/8", steel	4
12 LOHX6-S	Tube 3/4", steel	2
12 OTX-S	Tube 3/4", steel	5
12-10F5OX-S	Tube 3/4" × 5/8", steel	7
12-14C5OX-S	Tube 3/4" × 7/8", steel	2
12-14F5OX-S	Tube 3/4" × 7/8", steel	15
12-20C5OX-S	Tube 3/4" × 1-1/4", steel	2
12-8 F5OX-S	Tube 3/4" × 1/2", steel	3
12-8F50X-S	Tube 3/4" × 1/2", steel	10
12HX6-S	Tube 3/4", steel	4
12STX-S	Tube 3/4", steel	2
12V5OX-S	Tube 3/4", steel	4
12V6X-SS	Tube 3/4", stainless steel	2
14 F5OX-S	Tube 7/8", steel	3
14 PNTX-S	Tube 7/8", steel	8
14 V5OX-S	Tube 7/8", steel	5
14 VTX-S	Tube 7/8", steel	5
14F5OX-S	Tube 7/8", steel	8
14HTX-S	Tube 7/8", steel	10
14V6X-S	Tube 7/8", steel	4
16 C5OX-S	Tube 1", steel	1
16 C6X-SS	Tube 1", stainless steel	1
16 V5OX-S	Tube 1", steel	4
16-12F65OX-S	Tube 1" × 3/4", steel	10
16-12V5OX-S	Tube 1" × 3/4", steel	6
16-14 F5OX-S	Tube 1" × 7/8", steel	3
16-14C5OX-S	Tube 1" × 7/8", steel	2
16-20 F5OX-S	Tube 1" × 1-1/4", steel	5
16-20F5OX-S	Tube 1" × 1-1/4", steel	1
16-24F5OX-S	Tube 1" × 1-1/2", steel	3
16-24FTX-S	Tube 1" × 1-1/2", steel	4
16AOEX6-S	Tube 1", steel	2
16C50X-S	Tube 1", steel	2
16EMTXS	Tube 1", steel	2
16F5OX-S	Tube 1", steel	1
16F6X-S	Tube 1", steel	8
16FNTX-S	Tube 1", steel	5
1CR-SS	Tube 1/16", stainless steel	9
2-4CTX-S	Tube 1/8" × 1/4", steel	2
20 G6X-S	Tube 1-1/4", steel	3
20-12F5OX-S	Tube 1-1/4" × 3/4", steel	5
20-16C5OX-S	Tube 1-1/4" × 1", steel	2
20-16F5OX-S	Tube 1-1/4" × 1", steel	3
20-16VTX-S	Tube 1-1/4" × 1", steel	2
20ETX-S	Tube 1-1/4", steel	3
20JTX-S	Tube 1-1/4", steel	4
20LOHX6-S	Tube 1-1/4", steel	2
20S5OX-S	Tube 1-1/4", steel	2
20TNTX-S	Tube 1-1/4", steel	10
20V50X-S	Tube 1-1/4", steel	4
24 C6X-S	Tube 1-1/2", steel	2
24 F6X-S	Tube 1-1/2", steel	6
24-12HTX-S	Tube 1-1/2" × 3/4", steel	2
24-16HTX-S	Tube 1-1/2" × 1", steel	1
24-20 F5OX-S	Tube 1-1/2" × 1-1/4", steel	5
24-32F5OX-S	Tube 1-1/2" × 2", steel	4
24ETX-S	Tube 1-1/2", steel	1
24GTX-S	Tube 1-1/2", steel	1
24S5OX-S	Tube 1-1/2", steel	2
2C5OX-S	Tube 1/8", steel	3
2C6X-S	Tube 1/8", steel	2
3/4 X 1/2 PTR-SS	3/4" × 1/2", stainless steel	6
32 HTX-S	Tube 2", steel	2
32-24 TRTXN-SS	Tube 2" × 1-1/2", stainless steel	4
32-24CTX-S	Tube 2" × 1-1/2", steel	4
32-24F5OX-S	Tube 2" × 1-1/2", steel	4
32CTX-S	Tube 2", steel	1
32F50X-S	Tube 2", steel	5
3VTX-S	Tube 3/16", steel	5
4 C5OX-S	Tube 1/4", steel	2
4 S5OX-S	Tube 1/4", steel	5
4 V5OX-S	Tube 1/4", steel	13
4-10F5OX-S	Tube 1/4" × 5/8", steel	4
4-2 C5OX-S	Tube 1/4" × 1/8", steel	5
4-4-6 STX-S	Tube 1/4" × 1/4" × 3/8", steel	5
4-8CTX-S	Tube 1/4" × 1/2", steel	10
4HX6-S	Tube 1/4", steel	15
4XHLO-S	Tube 1/4", steel	5
5 PNTX-S	Tube 5/16", steel	18
6-10C5OX-S	Tube 3/8" × 5/8", steel	4
6-4HTX-S	Tube 3/8" × 1/4", steel	3
6-5F5OX-S	Tube 3/8" × 5/16", steel	13
6-6-8S5OX-S	Tube 3/8" × 3/8" × 1/2", steel	4
6-6-X6EF-S	Tube 3/8" × 3/8", steel	9
6-8 F5OX-S	Tube 3/8" × 1/2", steel	15
6-YF650X-S	Tube 3/8", steel	11
610HX6-S	Tube 38-1/8", steel	5
6S5OX-S	Tube 3/8", steel	5
8 AOEX6-S	Tube 1/2", steel	4
8-6 F65OX-S	Tube 1/2" × 3/8", steel	13
8-8-X6EF-S	Tube 1/2" × 1/2", steel	3
8-8CTX-S	Tube 1/2" × 1/2", steel	8
8C5OX-S	Tube 1/2", steel	2
8S5OX-S	Tube 1/2", steel	5

107 LINES · 784 PCS

Metric Tube Fittings: EO / DIN 24° Cone

Parker metric compression fittings for DIN / ISO 8434-1 tube systems, common on European machinery and rigs.

Part no.	Size / type	Qty
10-12C40MXS	Metric 24° cone (EO / DIN) tube fitting	4
10M18C80MXS	Metric 24° cone (EO / DIN) tube fitting	2
10M18F82EDMXS	Metric 24° cone (EO / DIN) tube fitting	9
10M18F8OMXS	Metric 24° cone (EO / DIN) tube fitting	13
10M22C8OMXS	Metric 24° cone (EO / DIN) tube fitting	5
10M22F682EDMX	Metric 24° cone (EO / DIN) tube fitting	1
10M22F682EDMXS	Metric 24° cone (EO / DIN) tube fitting	4
10M22F687OMXS	Metric 24° cone (EO / DIN) tube fitting	8
10M22F82EDMXS	Metric 24° cone (EO / DIN) tube fitting	11
10M22F870MXS	Metric 24° cone (EO / DIN) tube fitting	1
10M22F87OMXS	Metric 24° cone (EO / DIN) tube fitting	16
10M22F8OMXS	Metric 24° cone (EO / DIN) tube	20
	DIN) tube fitting	
4-4K6PP4MXS	Metric 24° cone (EO / DIN) tube fitting	1
4C6MX5S	Metric 24° cone (EO / DIN) tube fitting	6
4M10C8OMXS	Metric 24° cone (EO / DIN) tube fitting	9
4M10F682EDMXS	Metric 24° cone (EO / DIN) tube fitting	14
4M10F6870MXS	Metric 24° cone (EO / DIN) tube fitting	12
4M10F687OMXS	Metric 24° cone (EO / DIN) tube fitting	2
4M10F87OMXS	Metric 24° cone (EO / DIN) tube fitting	20
4M10F8OMXS	Metric 24° cone (EO / DIN) tube fitting	15
4M12V870MXS	Metric 24° cone (EO / DIN) tube fitting	1
4M12V87OMX	Metric 24° cone (EO / DIN) tube fitting	2
4M12V87OMXS	Metric 24° cone (EO / DIN) tube fitting	3
	Metric 24° cone	

EUROPEAN · NORTH AMERICAN · EXPLOSION-PROTECTED

Industrial Plugs, Sockets & Adaptors

Palazzoli · Gewiss · Eaton CEAG · Stahl · Appleton · Hubbell · Woodhead

Over **534 industrial connectors** in stock, covering European IEC 60309 (CEE) gear, US pin-and-sleeve and watertight NEMA devices, and certified **ATEX / IECEx and explosionproof** plugs and sockets for hazardous areas. Ready to ship for panel builders, shipyards, rigs, refineries and plant maintenance.

534	47	89	16–63 A
pieces in stock	line items	hazardous-area pieces	current range

Stock at a glance

Range	Lines	Pieces
Palazzoli Industrial Plugs, Sockets & Junction Boxes	15	**308**
Gewiss Adaptors, Multi-Socket Couplers & Mobile Sockets	7	**36**
Mennekes, Steck & Masterplug	3	**30**
Eaton CEAG & Stahl Explosion-Protected Plugs and Sockets	6	**33**
Appleton & Crouse-Hinds Pin-and-Sleeve Plugs	3	**24**
Appleton U-Line Explosionproof Receptacles	5	**56**
Hubbell, Woodhead & Ericson Watertight Plugs and Connectors	8	**47**
Total	**47**	**534**

IEC 60309 colour code: match the plug to the supply

Yellow	Blue	Red	Violet	White
100–130 V	200–250 V	380–480 V	20–25 V (ELV)	40–50 V (ELV)

"6h" is the earth-pin position (6 o'clock), which keys the plug to its voltage and frequency, so plugs for different supplies cannot be mixed up.

Sales tip: ask for the amps, the number of pins and the colour, or simply a photo of the existing plug or socket. Hazardous-area customers must replace like-for-like, so an Ex-certified part in stock is worth far more than the cost of re-specifying.

IEC 60309 · ITALY

Palazzoli Industrial Plugs, Sockets & Junction Boxes

Photo to be added

Italian-made CEE / IEC 60309 industrial connection gear: panel, flush and wall-mounted sockets, heavy-duty plugs with cable glands, extra-low-voltage inlets and Rondo junction boxes. The European workhorse for workshops, shipyards, construction sites and plant maintenance.

Typical use: Distribution boards and power panels · shipyards and dry docks · workshops · temporary site power · containers and reefer points · **Stock:** 308 pcs

Part no.	Description	Qty
471032	Panel-mounted socket, straight	65
471103	Flush-mounted socket-outlet, straight	55
471002	Wall-mounted socket-outlet, 90° angled	28
471366	Wall-mounted socket-outlet, 90° angled	8
471367	Panel socket, angled, 32 A, 3P, 240 V, 6h, IP67	27
471476	Heavy-duty wall-mounted socket, 32 A, 380 V	10
473106	Industrial plug / socket, low voltage	20
473416	CEE straight connector	2
477413	Heavy-duty plug with cable gland	30
477416	Heavy-duty plug with cable gland	4
477422	Heavy-duty plug with cable gland	1
476102	Extra-low-voltage wall-mounted inlet, 90° angled	35
476105	Extra-low-voltage wall-mounted inlet, 90°	12
113030	Rondo junction box	6
113040	Rondo junction box	5

How to order

1. Send the part number, or a photo of the existing plug, socket or nameplate.
2. We match it to stock and quote.
3. Dispatch from stock: single pieces or full lots.

Contact
Deepak · +91 77299 90663 · sales@kkdmarine.co.in

Lot offers
Special pricing for panel builders and contractors taking a full range.

IEC 60309 · ADAPTORS

Gewiss Adaptors, Multi-Socket Couplers & Mobile Sockets



Gewiss GW64209 adaptor

Part of Gewiss's IEC 309 range of adaptors and multi-sockets. The system adaptors let a domestic plug run from an industrial socket (or the reverse), and the couplers split one industrial outlet into several. For temporary and mobile installations.

Typical use: Site cabins and temporary power · events and maintenance crews · converting domestic tools to industrial supply · **Stock:** 36 pcs

Part no.	Description	Qty
GW64209	System adaptor, domestic → industrial, IP44: plug 2P+E 16 A 250 V (German/French) → socket 2P+E 16 A 230 V	5
GW64210	System adaptor (configuration to confirm from label)	5
GW64013	Multiple socket coupler	9
GW64027	Multiple socket coupler	6
GW64068	Multiple socket coupler	2
GW63026	Straight waterproof mobile socket	3
GW61026	Industrial connector (plug)	6

IEC 60309 · OTHER BRANDS

Mennekes, Steck & Masterplug

Photo to be added

German and other European industrial connectors, plus portable extension leads.

Typical use: High-current 63 A supply points · wash-down and outdoor areas (IP67) · workshop power · **Stock:** 30 pcs

Part no.	Description	Qty
Mennekes Type 128RS	63 A, 6h, 200–250 V, 2P+E, IP67	1
Steck Shocktite	Receptacle, 16 A, 250 V AC, 6h, IP67	18
Masterplug 1991592(51)	6-socket extension lead, 2 m (UK type)	11

HAZARDOUS AREA · ATEX / IECEx

Eaton CEAG & Stahl Explosion-Protected Plugs and Sockets



Eaton CEAG GHG 511

Certified for explosive atmospheres. The Eaton CEAG GHG 511 range is ATEX and IECEx approved for gas Zones 1 and 2 and dust Zones 21 and 22 (Ex de IIC T6, IP66). These are expensive, long-lead items that refineries, rigs and chemical plants must replace like-for-like.

Typical use: Refineries and petrochemical plants · offshore rigs and FPSOs · tank farms · paint shops · pharma and solvent areas · **Stock:** 33 pcs

Part no.	Description	Qty
GHG5114306R0002	Ex socket/plug, 16 A, ATEX & IECEx, Zones 1/2/21/22, Ex de IIC T6, IP66	20
GHG5113304R0001	GHG 511 Ex plug/socket (variant to confirm)	6
GHG5117304R0001	GHG 511 Ex plug/socket (variant to confirm)	2
GHG5114304R3001	GHG 511 Ex plug/socket (variant to confirm)	1
GHG5117406R0001	GHG 511 Ex plug/socket (variant to confirm)	1
Stahl 8579/31-407	ATEX socket, 63 A, 415 V, 3P+E	3

NORTH AMERICAN · PIN & SLEEVE

Appleton & Crouse-Hinds Pin-and-Sleeve Plugs

Photo to be added

US-standard heavy-duty pin-and-sleeve plugs with clamping-ring watertight design and metallic aluminium housings. Found on US-built rigs, vessels and equipment packages.

Typical use: US-built rigs and vessels · welding and portable equipment · pumps and compressors · **Stock:** 24 pcs

Part no.	Description	Qty
Appleton ACP3034BC	Powertite pin & sleeve plug, 30 A, 3-wire 4-pole, 250 V DC / 600 V AC, NEMA 4X, aluminium	15
Crouse-Hinds CCP3034BC	Pin & sleeve plug, 30 A (configuration to confirm)	2
Crouse-Hinds CCP3044BC	Pin & sleeve plug, 30 A (configuration to confirm)	7

HAZARDOUS LOCATION · US

Appleton U-Line Explosionproof Receptacles

Photo to be added

Appleton U-Line is a US explosionproof receptacle system for hazardous (classified) locations: receptacles, covers, GFCI units and matching plugs. Confirm Class, Division and Group from the nameplate against the site requirement.

Typical use: US-standard rigs and refineries · hazardous-area maintenance outlets · drilling packages · **Stock:** 56 pcs

Part no.	Description	Qty
ENR5201	U-Line single-gang dead-end receptacle, 20 A, 125 V AC	12
EFSR2023	U-Line receptacle cover assembly, 20 A, 125 V	13
EFSRGFI	U-Line ground-fault circuit interrupter (GFCI)	9
ECP2023	U-Line plug, 20 A, 125 V	6
EFDC175NLQ	Appleton EF-series assembly (confirm from label)	16

WATERTIGHT · NEMA

Hubbell, Woodhead & Ericson Watertight Plugs and Connectors

Photo to be added

Watertight NEMA straight-blade plugs and connectors that seal against water and dirt, plus portable multi-outlet taps and GFCI circuit guards. The standard for wash-down, wet decks and outdoor 120 V equipment.

Typical use: Ship decks and engine rooms · rig floors · food and wash-down plants · portable 120 V tools · **Stock:** 47 pcs

Part no.	Description	Qty
Hubbell HBL15W47	Elastogrip watertight connector, 15 A 125 V, NEMA 5-15R	13
Hubbell HBL14W47	Elastogrip watertight plug, NEMA 5-15P	1
Hubbell HBL1447	Hubbell plug (confirm rating from label)	1
Ericson 1610-CW60	Watertight straight-blade connector	5
Woodhead 2709	Turnex connector	10
Woodhead 2609	Turnex connector	10
Woodhead Safeway 3200 series	Watertite multitap (portable multi-outlet)	4
Hubbell GFP15M	Portable circuit guard (GFCI protection)	3

REVERSE OSMOSIS · WATERMAKERS · WATER TREATMENT · MARINE

RO Watermaker & Sch 80 PVC Spares

George Fischer · Parker · Hayward · King · Fluxo

Schedule 80 PVC fittings, valves, instruments and RO system spares for **reverse-osmosis watermakers** on ships, rigs and accommodation platforms, and for industrial water-treatment and RO plants. **460 items** in stock, including Parker charcoal elements, flow meters and 3-way valves.

377	35	15	33
Sch 80 PVC fittings	valves	instruments	RO system spares

Sch 80 PVC fittings: find by type and size

Fitting type	4"	2"	1-1/2"	1"	3/4"	1/2"	Total
90° elbow / bend	10	20	2	2	26	4	64
45° bend	4	8	–	3	5	2	22
Tee	–	29	–	2	12	2	45
Reducer / bushing	–	68	7	52	–	17	144
Union	–	–	13	13	6	1	33
Socket / adapter / nipple	–	24	13	6	8	–	51
Flange	–	5	–	2	4	7	18

End-connection codes

SL: socket
Plain socket for solvent-cement welding onto Sch 80 PVC pipe.

FT / MT: female / male thread
NPT threaded ends for valves, instruments and metal pipe.

Sch 80
Heavy-wall grey PVC rated for higher pressure than Sch 40. The standard for RO feed and product lines.

Sales tip: ship managers and watermaker service engineers need a **handful of fittings fast** when an RO line cracks at sea. Send this list to watermaker service companies and offshore accommodation operators. Water-treatment contractors can take the fittings as a lot.

How to order

1. Send the size, fitting type and end connection, or the part number from your watermaker manual.
2. We match it to stock and quote.
3. Dispatch from stock: single pieces or full lots.

Contact
Deepak · +91 77299 90663 · sales@kkdmarine.co.in

Lot offer
Special pricing for taking the full PVC fittings lot.

SCH 80 PVC · 377 PCS

Fittings: Full List

Description	Part no.	Qty
4" 90° bend, Sch 80	–	10
2" 90° bend, Sch 80	–	20
1-1/2" 90° elbow	101015983	2
1" elbow, SL × SL	–	2
3/4" 90° bend, Sch 80	2503110-003	18
3/4" elbow, SL × SL	–	5
3/4" elbow, SL × FT	–	3
1/2" 90° bend	–	4
4" 45° bend, Sch 80	–	4
2" 45° bend, Sch 80	817020C	8
1" 45° bend, Sch 80	817010	3
3/4" 45° bend, Sch 80	–	5
1/2" 45° bend, Sch 80	–	2
2" tee, Sch 80	801020	29
1" tee, SL × SL × SL	–	2
3/4" tee, Sch 80	–	11
3/4" tee, SL × FT × SL	–	1
1/2" tee, Sch 80	–	2
2" × 1-1/2" reducer	–	11
2" × 1" reducer	–	17
2" × 3/4" reducer	–	40
1-1/2" × 1" reducer	–	7
1" × 3/4" reducer	837131	20
1" × 1/2" reducer	–	30
1" SL × 3/4" SL reducer bushing	101324383	2
1/2" × 1/4" reducer bushing	–	17
1-1/2" union, SL × SL	–	13
1" union, SL × SL	–	8
1" union, FT × FT	–	5
3/4" union, SL × SL	–	3
3/4" true union, FT × SL × FT (NPTF)	–	3
1/2" union, SL × SL	–	1
2" adapter sleeve, SL × SL	829020	24
1-1/2" socket, SL × SL	–	13
1" socket, SL × SL	–	4
1" female SL × 3/4" male thread adapter	–	1
1" MNPT × MNPT nipple	–	1
3/4" adapter sleeve, Sch 80	–	7
3/4" SL × FT adapter	–	1
2" flange	–	5
1" female flange	9854090	2
3/4" female flange	854007	2
3/4" flange	–	2

VALVES · 35 PCS

PVC & Instrument Valves

3-way, ball, true-union check and spring check valves in PVC, plus an electric actuated 3-way valve and a 3000 psi stainless ball valve for the high-pressure side.

Description	Part no.	Qty
3/4" 3-way ball valve, SL (14018018RH)	TMBV075EPS-PV-A	2
3/4" 3-way ball valve, threaded	TMBV075EPT-PV-A	3
1/2" 3-way ball valve, threaded	TMBV050EPT-PV-A	4
2" 3-way ball valve, threaded	TMBV200EPT-PV-A	4
1-1/2" 3-way ball valve, SL × SL × SL	1401132342	1
1-1/2" 3-way electric actuated ball valve	TEBVB61150EPS-VA	2
1-1/2" ball valve, SL × SL	–	5
1-1/2" union × SL ball valve	101685983	2
1" true-union check valve	1401271942	3
1-1/2" true-union check valve	1401272442	2
1-1/2" spring check valve (incl. SL × SL)	–	2
2" spring check valve	30265768 / 42241020	2
1/2" injection valve	1024710	1
1/4" stainless steel ball valve, 3000 psi	1417123987	2

INSTRUMENTS · 15 PCS

Flow Meters, Gauges, Switches & UV Sensor

Description	Part no.	Qty
Parker Hannifin flow meter, 1-1/2" MNPT, 40 GPM	P205020131W	1
King flow meter, 1" FNPT, 15 GPM	7205017131W	4
Fluxo flow meter, 1/4" FNPT	TCMTVB14AB0KAA	1
Pressure gauge, 2.5" dial, 1/4" NPT male (scale as recorded: 0–1400)	10181524CC	3
High-pressure switch, 1/4" MNPT	2321020558	3
UV sensor US1, 50 W (HBWT)	1041-160030050	1
Blind plug for UV sensor	1041-PLUG/GS1	2

RO SPARES · 33 PCS

RO System Spares & Filter Elements

Description	Part no.	Qty
Parker charcoal filter element, 20"	803004873	10
Charcoal filter, 10", 10 micron	803004906	1
Booster pump seal / seat	2625130472	2
Pump impeller 82621	–	2
Repair kit XJ/JB, for 143/215JM	–	4
Nozzle	3500246	2
Fast & Tite elbow fluid connector, 1/4" MPT × 1/4" tube	204020869	12

OXY-FUEL WELDING & CUTTING · GOUGING

Welding & Cutting Equipment

Ameriflame · Uniweld · Victor-compatible · Unitor · Arcair

Oxy-fuel torch handles, cutting attachments, regulators, a complete welding & cutting outfit and an Arcair gouging torch. **26 items** for fabrication shops, shipyards and vessel workshops, ready ex-stock. The Unitor regulator suits ship workshops already running Unitor gas systems.

26	10	8"	8
items in stock	part numbers	max cutting capacity	gas regulators

15 PCS Oxy-fuel torches & attachments

Make / part no.	Description	Qty
Ameriflame HD315TH	V-style tube-mix torch handle, welds up to 6"	**2**
Ameriflame HD2460CA	V-style cutting attachment, cuts up to 8"	**4**
Uniweld WH360	Torch handle, welds up to 3", 9/16"-18 thread	**2**
Uniweld 780A	Oxy-acetylene cutting attachment	**6**
Hobart 770201	Cutting attachment, Victor Firepower compatible (CA1350, CA150, CA250)	**1**

8 PCS Regulators

Make / part no.	Description	Qty
Ameriflame R360-510	Acetylene regulator	**6**
Ameriflame R350-540	Oxygen regulator	**1**
Unitor 510AC	Acetylene pressure regulator, 0–1.5 bar	**1**

3 PCS Outfits & gouging

Make / part no.	Description	Qty
Ameriflame HS-HDUF	Welding & cutting outfit	**2**
Arcair 61-082-009	Manual gouging torch and cable	**1**

Sales tip: pair torch handles with matching cutting attachments and regulators as ready-to-use kits for shipyard and fabrication contractors.

How to order

1. Send the part number or your requirement.
2. We match it to stock and quote.
3. Dispatch from stock.

Contact
Deepak · +91 77299 90663 · sales@kkdmarine.co.in

Lot offer
Special pricing for the full welding lot.

CLEARANCE STOCK · IMMEDIATE DISPATCH

Wilden Pump Spares

Diaphragms, seats, balls, pistons and clamps

Wilden air-operated double-diaphragm (AODD) pumps run on ships, rigs, refineries, mines and chemical plants worldwide. When a diaphragm fails, the pump stops. This stock lets your customer get M1, M2, M4, M8 and M15 pumps running again **now**, without waiting weeks for imported parts.

252	54	5	1/2"–3"
pieces in stock	line items	pump models	pump sizes covered

Stock at a glance: pieces by pump model and part group

Group	M15 3" pump	M8 2" pump	M4 1-1/2" pump	M2 M2 series	M1 1/2" pump	Model TBC	Total
Diaphragms	17	48	23	2	6	–	**96**
Balls & seats	7	–	12	2	5	5	**31**
O-rings & gaskets	5	8	10	1	10	–	**34**
Pistons, shafts & clamps	23	15	37	–	–	–	**75**
Chambers, manifolds & other	6	–	7	–	3	–	**16**
Total pcs	**58**	**71**	**89**	**5**	**24**	**5**	**252**

How to read a Wilden part number

08–1010–52


08: pump model
01 = M1 · 02 = M2 · 04 = M4 · 08 = M8 · 15 = M15. Must match the pump nameplate.

1010: part type
1010 diaphragm · 1060 back-up diaphragm · 1080 balls · 1120 seat · 1300 O-ring · 2600 air-valve gasket · 3200 shaft O-ring · 3800 shaft · 4550 outer piston · 7300 clamp band

52: material code
-52 = Buna-N (nitrile). Other codes (-50, -51, -56, -58) are different elastomers. Ask the customer for the code on their old part and match it exactly.

Sales tip: ask the customer for the pump model (M4, M8…) and the part number on the failed diaphragm. Diaphragms wear out regularly, so any site running Wilden pumps is a repeat buyer.

15 LINES · 58 PCS Wilden M15: 3" pump



Photo to be added

Typical duty: Large-bore transfer: tank cleaning, slurry, dewatering, bulk fuel and chemical unloading.

Fits Wilden M15 metal pumps. Elastomer suffix must match the pump's existing material (see the part-number guide on page 1).

Part no.	Description	Group	Qty
15-1010-52	Diaphragm, Buna-N	Diaphragms	7
15-1010-51	Diaphragm	Diaphragms	2
15-1010-56	Diaphragm	Diaphragms	1
15-1060-51	Back-up diaphragm	Diaphragms	7
15-1120	Valve seat	Balls & seats	4
n/a	Valve balls	Balls & seats	3
15-4550-01	Outer piston, aluminium (3" pump)	Pistons, shafts & clamps	1
15-3800-09-07	Shaft	Pistons, shafts & clamps	1
15-3805-09-07	Shaft (variant)	Pistons, shafts & clamps	3
15-3200-52	Shaft O-ring, Buna-N	O-rings & gaskets	5
15-7300-08	Clamp band	Pistons, shafts & clamps	4
Item 54	Pump clamp	Pistons, shafts & clamps	14
15-3700-01	Wilden component (confirm from manual)	Chambers, manifolds & other	2
15-3650-01	Wilden component (confirm from manual)	Chambers, manifolds & other	2
15-2390-52	Wilden component, Buna-N (confirm from manual)	Chambers, manifolds & other	2

4 LINES · 5 PCS Wilden M2: M2 series



Photo to be added

Typical duty: Small-flow transfer and dosing duties.

Fits Wilden M2 metal pumps. Elastomer suffix must match the pump's existing material (see the part-number guide on page 1).

Part no.	Description	Group	Qty
02-1010-52	Diaphragm, Buna-N	Diaphragms	2
02-2600-52	Air valve gasket, Buna-N	O-rings & gaskets	1
02-1120-01	Valve seat	Balls & seats	1 set
02-1080-52	Valve balls, Buna-N	Balls & seats	1 set

11 LINES · 71 PCS Wilden M8: 2" pump


Photo to be added

Typical duty: Ship bilge and ballast stripping, sump and drum transfer, mining and construction dewatering.

Fits Wilden M8 metal pumps. Elastomer suffix must match the pump's existing material (see the part-number guide on page 1).

Part no.	Description	Group	Qty
08-1010-50	Diaphragm	Diaphragms	4
08-1010-51	Diaphragm	Diaphragms	3
08-1010-52	Diaphragm, Buna-N	Diaphragms	3
08-1010-56	Diaphragm	Diaphragms	30
08-1010-58	Diaphragm	Diaphragms	3
08-1060-51	Back-up diaphragm	Diaphragms	5
08-4550-01	Outer piston	Pistons, shafts & clamps	8
08-3820-09-07	Shaft	Pistons, shafts & clamps	2
08-3800-09-07	Shaft	Pistons, shafts & clamps	1
08-3200-52	Shaft O-ring (20JH), for shaft 51A	O-rings & gaskets	8
08-7300-08	Clamp band	Pistons, shafts & clamps	4

7 LINES · 24 PCS Wilden M1: 1/2" pump


Photo to be added


Typical duty: Small-flow transfer, sampling, dosing and laboratory or paint-shop duty.

Fits Wilden M1 metal pumps. Elastomer suffix must match the pump's existing material (see the part-number guide on page 1).

Part no.	Description	Group	Qty
01-1060-51	Back-up diaphragm	Diaphragms	6
Item 95	Water (liquid) chamber	Chambers, manifolds & other	2
Item 98	Tee-section manifold	Chambers, manifolds & other	1
4-6-315-000	Centre block O-ring	O-rings & gaskets	3
n/a	PTFE valve balls	Balls & seats	5
01-1300-55	Manifold O-ring (PT98B)	O-rings & gaskets	4
01-2600-52	Air valve gasket, Buna-N	O-rings & gaskets	3

16 LINES · 89 PCS

Wilden M4: 1-1/2" pump



Typical duty: General plant duty: chemical transfer, paint and coatings, oily water, filter-press feed.

Fits Wilden M4 metal pumps. Elastomer suffix must match the pump's existing material (see the part-number guide on page 1).

Part no.	Description	Group	Qty
04-1010-52	Diaphragm, Buna-N	Diaphragms	9
04-1010-51	Diaphragm	Diaphragms	5
04-1010-56	Diaphragm	Diaphragms	2
04-1060-51	Back-up diaphragm	Diaphragms	7
04-1120 (item 70)	Valve seat	Balls & seats	8
04-1120-20-500	Valve seat (Pro-Flo P4)	Balls & seats	4
04-1300-60-500	Tee-section retaining O-ring (Pro-Flo P4 plastic)	O-rings & gaskets	10
04-4550-01	Outer piston	Pistons, shafts & clamps	4
04-3800-03-07	Shaft	Pistons, shafts & clamps	1
04-7300-03-500	Clamp band	Pistons, shafts & clamps	4
Item 64	Band clamp	Pistons, shafts & clamps	8
Item 69	Small band clamp	Pistons, shafts & clamps	20
Item 62	Air chamber	Chambers, manifolds & other	2
04-5000-01	Wilden component (confirm from manual)	Chambers, manifolds & other	1
04-5020-01	Wilden component (confirm from manual)	Chambers, manifolds & other	2
04-5080-01	Wilden component (confirm from manual)	Chambers, manifolds & other	2

1 LINES · 5 PCS

Wilden spares: model to confirm



Typical duty: Item listed without a model reference in our register.

Fits Wilden ? metal pumps. Elastomer suffix must match the pump's existing material (see the part-number guide on page 1).

Part no.	Description	Group	Qty
Item 71	Valve balls (pump model to confirm)	Balls & seats	5

How to order

1. Tell us your Wilden pump model and the part number on the old part, or send a photo of the pump nameplate.
2. We match it to stock, confirm the elastomer, and quote.
3. Dispatch from stock: single pieces, kits, or the full lot.

Contact
Name · Mobile · Email

Lot offers
Ask for our price for all spares of one model, or the complete Wilden stock.

SPILL CONTROL · MARINE · OFFSHORE · WORKSHOPS · TANK FARMS

Oil, Chemical & Universal Absorbents

Kimberly-Clark · PIG · pads · socks · booms · pillows · rolls

Spill-control absorbents for engine rooms, rig floors, workshops, refineries and terminals, headed by a large lot of **Kimberly-Clark oil sorbent pads and socks**. Enough stock to supply a fleet, a shutdown or a full year's plant consumption.

48,900
Kimberly-Clark oil pads (489 cases)

2,352
Kimberly-Clark oil socks (196 packs)

6,542
other absorbent pieces

6,000
other pads

HEADLINE LOT

Kimberly-Clark Oil Sorbents

Kimberly-Clark oil sorbents are made from polypropylene for oil, diesel, hydraulic fluid and lubricant spills. Available by the case, or as the full lot.

Product	Type	Pack	Stock	Pieces
Kimberly-Clark OS-10	Oil sorbent pads	100 pads per case	**489 cases**	**48,900 pads**
Kimberly-Clark OS30	Oil sorbent socks	12 socks per pack	**196 packs**	**2,352 socks**

Pick the right absorbent: industry colour convention

White: oil-only
Absorbs oil, repels water. For engine rooms, bilges and spills on water.

Grey: universal
Oils, coolants, water and mild chemicals. Everyday maintenance spills.

Yellow: chemical
Acids, caustics and aggressive chemicals. Labs, chemical stores, battery rooms.

Sales tip: absorbents are a constant consumable for ship managers, rigs, refineries and workshops. Offer **pallet lots** of Kimberly-Clark pads and socks, and build **spill kits** (pads + socks + pillows) to clear the odd quantities.

How to order

1. Tell us the spill type (oil, chemical or universal) and quantity.
2. We match it to stock and quote: cases, pallets or kits.
3. Dispatch from stock.

Contact
Deepak · +91 77299 90663 · sales@kkdmarine.co.in

Pallet & lot offers
Special pricing on pallet quantities of Kimberly-Clark pads and socks.

PADS · 6,000 PCS

Absorbent Pads

Lay-flat pads for drips, leaks and small spills under machinery, at pumps and in workshops. GSM is the pad weight: higher GSM absorbs more per pad.

Item	Type	Qty
Oil pads, 240 GSM	Oil-only	**1,200**
Oil pads, 400 GSM (heavy)	Oil-only	**100**
Oil pads, 200 GSM	Oil-only	**200**
Chemical pads, 200 GSM	Chemical / hazmat	**450**
Universal absorbent pads	Universal	**250**
Absorbent pads, grey	Grey (usually universal / maintenance)	**3,000**
Absorbent pads, white	White (usually oil-only)	**800**

SOCKS & BOOMS · 286 PCS

Socks & Booms

Long tubular absorbents to surround and contain a spill, ring machinery bases, or boom off drains and water. 3" socks are for indoor containment, 5"–8" booms for larger spills and water.

Item	Type	Qty
Chemical socks, yellow, 3" × 1 m	Chemical / hazmat	**37**
Universal socks, 3" × 1 m	Universal	**40**
Oil booms, 3" × 1 m	Oil-only	**65**
Blue booms, 3" × 1 m	n/a	**60**
PIG net boom, 3" × 2 m	n/a	**50**
PIG net boom, 4" × 2 m	n/a	**4**
Oil net booms, 5" × 3 m	Oil-only	**4**
Oil booms, 5" × 3 m	Oil-only	**5**
Oil boom, 8" × 3 m	Oil-only	**20**
SPCUN510 boom, 5" × 10 ft	Universal	**1**

PILLOWS · 238 PCS

Absorbent Pillows

High-capacity pillows for pooled liquid, sumps, drip trays and under leaking flanges.

Item	Type	Qty
Oil pillows, 10" × 10"	Oil-only	**27**
Oil pillows, 18" × 18"	Oil-only	**8**
Chemical pillows, yellow, 10" × 10"	Chemical / hazmat	**50**
Chemical pillows, 18" × 18"	Chemical / hazmat	**13**
Universal pillows, 18" × 18"	Universal	**20**
Universal pillows, 20" × 15"	Universal	**120**

ROLLS & KITS · 18 PCS

Rolls & Spill Kit

Bulk rolls to cut to length for walkways and large areas, plus a ready-made chemical spill kit.

Item	Type	Qty
Oil absorbent rolls, 800 mm × 46 m	Oil-only	**17**
Chemical spill kit (pillows, booms etc.)	Chemical / hazmat	**1**

CLEARANCE STOCK · IMMEDIATE DISPATCH

Ball Valves

Ready stock, no lead time

Branded and quality stainless steel and brass ball valves, from 1/4" to 2-1/2", held in stock and ready to ship. Ideal for shutdown spares, urgent breakdowns, small project top-ups and like-for-like replacements, without minimum order quantities or import lead times.

269
valves in stock

32
line items

9
sizes, 1/4"–2-1/2"

6,000
psi max rating

Parker · Swagelok · Flow-Tek · REX · Apollo · Alco · Proline · Tosca · Hammer

Stock at a glance: quantity by size and type

Size	High-pressure SS 2,000–6,000 psi	SS NPT 1,000 WOG	SS BSP 1,000 WOG	SS locking lever	Brass / NPB 600–1,000	Total
1/4"	47	–	–	–	3	**50**
3/8"	16	16	12	–	–	**44**
1/2"	34	–	5	–	7	**46**
3/4"	10	16	10	–	8	**44**
1"	–	15	30	–	–	**45**
1-1/4"	–	4	1	–	1	**6**
1-1/2"	–	–	5	8	–	**13**
2"	–	3	–	4	6	**13**
2-1/2"	–	–	–	–	8	**8**

Buy any quantity
Single pieces or the full lot, at the same speed.

Genuine makes
Original branded valves, not copies.

Ships now
No import wait, no MOQ.

HIGH PRESSURE Parker Hi-Pro (HPB) Series: High-Pressure Instrument Ball Valves



Parker Hi-Pro series

316 stainless steel ball valves from Parker Instrumentation, rated to 6,000 psi (414 bar), with PTFE seat and packing. NACE-compliant (verify per part number). Quarter-turn lever, compact hex body. Built for small-bore, high-pressure lines where a standard 1,000 WOG valve is not enough.

Rating 6,000 psi **Ready stock** 95 pcs

- Hydraulic power units and test benches
- Chemical injection and sampling lines
- Instrument isolation on rigs, FPSOs and process skids
- Gauge and transmitter root valves

Size	Part no. / Make	End connection	Qty
1/4"	HPBYB4FFNC	Female NPT × Female NPT	40
3/8"	HPBYB6FF	Female NPT × Female NPT	11
3/8"	HPBYB6ALC	Parker A-LOK® tube compression	3
1/2"	HPBYB8FFNC	Female NPT × Female NPT	30
3/4"	HPBWB12FNC	Female NPT	3
3/4"	HPBYB12FFNC	Female NPT × Female NPT	6
1/2"	HNVS8M8FNC	NPT · confirm valve type on nameplate	2

INSTRUMENTATION Swagelok & Alco: Stainless Instrument Ball Valves



Swagelok 60 Series (representative)

Branded instrumentation ball valves for process analyser, sample and utility lines. Swagelok 60 Series valves have a 3-piece body that swings out for in-line maintenance. The 40 Series is a compact 1-piece instrument valve.

Rating 2,000–2,500 psi **Ready stock** 12 pcs

- Analyser and sample systems
- Instrument air and nitrogen headers
- Like-for-like replacement on Swagelok-spec plant
- OEM skid maintenance spares

Size	Part no. / Make	End connection	Qty
1/2"	SS-63TF8 (Swagelok 60 Series, 2,200 psi)	Female NPT	1
1/2"	SS-45F8 (Swagelok 40 Series, 2,500 psi)	Female NPT	1
1/4"	Alco SS, 2,000 psi	Female NPT	7
3/8"	Alco SS, 2,000 psi	Female NPT	2
3/4"	A6NS-LM (Alco, 2,000 psi)	Female NPT	1

GENERAL SERVICE — Flow-Tek / REX: 2-Piece Full-Port SS Ball Valves (NPT)



Flow-Tek Series S80

Stainless steel (CF8M / 316) 2-piece threaded ball valves with reinforced PTFE seats. Flow-Tek (a Bray company) Series S80 is full port, so there is no flow restriction and lines can be pigged or cleaned. A dependable workhorse for water, oil, gas and mild chemicals on NPT pipework.

Rating 1,000 psi WOG **Ready stock** 54 pcs

- Utility water, air and diesel lines
- Marine deck and engine-room services
- Chemical dosing and wash-down
- Drain, vent and isolation points

Size	Part no. / Make	End connection	Qty
3/8"	Flow-Tek / REX	Female NPT	16
3/4"	Flow-Tek / REX	Female NPT	16
1"	Flow-Tek / REX	Female NPT	15
1-1/4"	REX	Female NPT	4
2"	Flow-Tek	Female thread	3

BSP · MIDDLE EAST / ASIA — Stainless Steel Ball Valves: BSP Thread



Representative image

Lever-operated stainless steel ball valves with BSP female threads, the standard on Indian, Gulf, European and Asian plant pipework. Same 1,000 WOG duty as the NPT range, so the right fit wherever the line is BSP.

Rating 1,000 psi WOG **Ready stock** 63 pcs

- Plant utilities on BSP pipework
- Water treatment and RO skids
- Shipyard and vessel repair
- Food, pharma and wash-down areas

Size	Part no. / Make	End connection	Qty
3/8"	SS (unbranded)	Female BSP	12
1/2"	SS (unbranded)	Female BSP	5
3/4"	SS (unbranded)	Female BSP	10
1"	SS (unbranded)	Female BSP	30
1-1/4"	SYN	Female BSP	1
1-1/2"	SS (unbranded)	Female BSP	5

LOCKOUT READY — Tosca: Locking-Lever SS Ball Valves



Locking-lever type (representative)

Stainless steel ball valves with a lockable lever. The handle can be padlocked open or closed, so the isolation point stays secure during maintenance. Fits straight into a lockout/tagout (LOTO) programme.

Rating 1,000 psi WOG **Ready stock** 12 pcs

- LOTO isolation points
- Fuel and chemical tank outlets
- Fire-water and critical utility lines
- Anywhere unauthorised operation must be prevented

Size	Part no. / Make	End connection	Qty
1-1/2"	Tosca, locking lever	Female thread	**8**
2"	Tosca, locking lever	Female thread	**4**

WATER · AIR · OIL — Brass & Nickel-Plated Brass Ball Valves


Apollo 94A series

Forged brass ball valves for non-corrosive water, compressed air, oil and gas service. Nickel-plated versions add a bright, corrosion-resistant finish that suits marine and humid environments. Apollo 94A is a well-known US 2-piece full-port brass valve: 600 psi CWP, PTFE seats, chrome-plated ball, UL and FM listed.

Rating 600–1,000 psi **Ready stock** 33 pcs

- Compressed air and water lines
- HVAC, plumbing and building services
- Marine fresh-water and air systems
- Workshop and general maintenance

Size	Part no. / Make	End connection	Qty
1/4"	94A-101-01 (Apollo / KTC)	Female NPT	**3**
1/2"	Hammer, nickel-plated, 1,000 psi	Female BSP	**7**
3/4"	7690T (Proline)	Female NPT	**8**
1-1/4"	7690T (Proline)	Female NPT	**1**
2"	94A-108-01 (Apollo)	Female thread	**2**
2"	Topic FM, nickel-plated	Female thread	**4**
2-1/2"	Brass (unbranded)	Female thread	**8**

How to order

1. Pick the size, part number and quantity from these pages.
2. Send us your enquiry. Single pieces and part lots are welcome.
3. We confirm availability and price, then dispatch from stock.

Contact
Name · Mobile · Email

Lot offers
Ask about our price for taking a full family or the complete ball-valve stock.

CABLE MANAGEMENT · OFFSHORE · MARINE · ELECTRICAL

Nylon & Stainless Steel Cable Ties

Thomas & Betts TY-RAP · Panduit Pan-Steel · Band-It · Raychem · HellermannTyton

Branded cable ties for electrical contractors, panel builders, shipyards and offshore installations: **118 packs of nylon ties** and **232 packs/units of stainless steel ties**, including 316 stainless ball-lock ties for cable trays, pipe tagging and exposed marine and offshore runs, where nylon degrades.

118	232	100–838 mm	12 × 1000
packs of nylon ties	stainless steel packs/units	length range	T&B TY-RAP 7" bulk packs

Nylon or stainless?

Nylon
Indoor panels, cable looms, general bundling. Fast and low-cost.

Stainless steel (316)
Outdoor, offshore, high-temperature and UV-exposed runs, cable trays and fire-rated installations.

Coated stainless
Polyester coating protects cable sheaths and prevents galvanic corrosion against other metals.

Sales tip: offshore and marine electrical contractors specify **316 stainless ball-lock ties** (Band-It, Panduit, Raychem) by length and width. Quote by the pack, and offer mixed-length kits to clear odd quantities.

How to order

1. Send the part number or your requirement.
2. We match it to stock and quote.
3. Dispatch from stock.

Contact
Deepak · +91 77299 90663 · sales@kkdmarine.co.in

Lot offer
Special pricing for full lots and mixed kits.

STAINLESS STEEL · 232

Stainless Steel Cable Ties (Coated & Uncoated)

Make / part no.	Length × width	Pack	Packs
Panduit MLT1S-CP	127 × 4.6 mm	Pack of 100	**26**
Panduit MLT2S-CP	200 × 4.6 mm	Pack of 100	**1**
Panduit MLT2.7S-CP	267 × 4.6 mm	Pack of 100	**17**
Panduit MLT6S-CP	521 × 4.6 mm	Pack of 100	**19**
Panduit MLT2.7H-LP	259 × 4.6 mm	Pack of 50	**2**
Panduit MLT6H-LP	Heavy cross-section	Pack of 50	**12**
Panduit MLT8H-LP	679 × 7.9 mm	Pack of 50	**5**
Panduit MLT10H-LP	838 × 7.9 mm	Pack of 100	**1**
Panduit MBT14SM3P	362 × 4.6 mm	Pack of 100	**23**
Panduit Pan-Ty	6"	n/a	**1**
Raychem RPG, ball-lock, coated	300 × 4.6 mm	Pack of 100	**5**
Raychem, ball-lock, coated, SS316	300 × 4.6 mm	n/a	**12**
Band-It KT6B150-0600 Ball-Lokt	0.59" × 23.6" (15 × 600 mm)	Pack of 50	**20**
Band-It KT6B150-0500 Ball-Lokt, 316 SS	0.59" × 19.7" (15 × 500 mm)	n/a	**55**
Thomas & Betts LS-7.9-360B, uncoated	360 × 7.9 mm	Pack of 100	**10**
RS PRO 123-5030	540 × 12 mm	Pack of 100	**10**
Unbranded, uncoated	360 × 7.9 mm	Pack of 100	**6**
Unbranded	360 × 4.6 mm	Pack of 100	**7**

NYLON · 118 PACKS

Nylon Cable Ties

Make / part no.	Length × width	Pack	Packs
Thomas & Betts TY-RAP TYB2315MX	7" (≈178 mm)	Pack of 1000	**12**
Thomas & Betts TY-RAP TY5232MX	203 mm	Pack of 100	**3**
YY	370 × 4.8 mm	Pack of 100	**30**
YY	200 × 4.8 mm	Pack of 100	**50**
Panduit	200 × 3.6 mm	Pack of 500	**1**
SureLock	254 × 4.8 mm	Pack of 100	**5**
SureLock	153 × 3.6 mm	Pack of 500	**1**
HellermannTyton T50R	198 × 4.7 mm	Pack of 100	**2**
HellermannTyton T30R	148 × 3.5 mm	Pack of 100	**1**
ACT	7" × 4.5 mm	Pack of 100	**5**
RS 233-500	n/a	Pack of 500	**1**
Uline S-5826	100 × 2.5 mm	Pack of 500	**1**
Uline S-5826	100 × 2.5 mm	Pack of 1000	**1**
Uline S-5828	120 × 4.8 mm	Pack of 800	**1**
Unbranded	200 × 3.5 mm	Pack of 100	**1**
Unbranded	108 × 2.5 mm	Pack of 100	**1**
Unbranded	15" × 7.6 mm	Pack of 100	**2**

GAS METERING · OIL & GAS · DRILLING · PROCESS RECORDING

Circular Recorder Chart Papers & Pens

Graphic Controls (American Meter) · Barton · Martin-Decker · Honeywell

Circular charts for **American Meter** and **Barton** gas pressure and differential recorders on metering stations, well sites and skids, plus **Martin-Decker** drilling recorders. A recorder records nothing without the right chart. We hold **114 boxes (11,400 charts)** and matching pens.

114
boxes of 100 charts

57
American Meter MP charts

17
MP range / rotation combinations

80+
recorder pens

How Graphic Controls MP charts are coded

MC MP–10000–1 HR

MC: recorder make
Fits **American Meter** recorders, e.g. the A-88 and 12" pressure & differential recording meters. MP-1000 is listed under the same cross-reference with or without "MC".

MP-10000: chart range
Scale from 0 to the number shown (0–1,000 up to 0–30,000). Must match the recorder's pressure element.

Suffix: rotation
Time for one full chart turn: 24 HR, 2 HR, 1 HR or 96 MIN. No suffix is the standard chart (MP-1000 standard = 24 HR).

Graphic Controls MP charts: find by range and rotation

Range (0 to …)	Standard (24 HR)	24 HR	2 HR	1 HR	96 MIN	Boxes
1,000	1 MC MP–1000	–	–	2 MP–1000–1 HR	15 MP–1000–96 MIN	18
2,000	3 MC MP–2000	–	–	–	–	3
3,000	3 MP–3000	–	–	–	–	3
5,000	–	–	–	–	5 MP–5000–96 MIN	5
6,000	2 MC MP–6000	–	–	–	–	2
10,000	–	5 MP–10000/24HR	–	1 MP–10000–1 HR	2 MP–10000–96 MIN	8
15,000	2 MP–15000	–	–	–	4 MC MP–15000–96 MIN	6
20,000	1 MC MP–20000	–	4 MP–20000–2H	–	–	5
30,000	–	–	–	3 MP–30000–1HR	2 MP–30000–96 MIN	5
20,000 / 10,000 / 5,000	–	–	–	–	2 MP–20000–10000–5000–96 MIN	2

GRAPHIC CONTROLS · 35 BOXES

Other American Meter & Dual-Range Charts

Chart part no.	Reorder no.	Boxes
MC M-250-SH	0085524C	2
MC-M-500-SH	–	2
M-1000-SH	0101365C	2
MC M-1500-400-300F	–	26
MP-1500-400	0104832C	3

BARTON · 14 BOXES

Barton Recorder Charts

For Barton flow and pressure recorders, widely used on gas well and pipeline metering.

Chart part no.	Reorder no.	Boxes
L-10-100	–	3
L-10-S	–	2
BUKC-2204	4003183C	2
BUKC-2008	4010988C	4
BUKC-2051	0080641C	1
BUKC-2161	0094619C	2

DRILLING & PROCESS · 8 BOXES

Martin-Decker, Honeywell & Others

Martin-Decker charts for drilling-rig weight and parameter recorders; Honeywell process recorder chart.

Brand	Chart part no.	Reorder no.	Boxes
Martin-Decker	Y-46A	–	1
Martin-Decker	Y-14	–	1
Martin-Decker	Y48A	–	1
Martin-Decker	Y10020A	–	1
Honeywell	CP-1948	–	1
To fit (part low)	002-138-10	0073350C	3

PENS

Chart Recorder Pens

Brand	Part no.	Description	Qty
Barton	1332-5287-TQ	Recorder pens	1 pack (6)
Graphic Controls	32009996 (MP 82-79-3312-06)	Red marker pens	3 packs (18)
Universal	9A-BDP-U-1-RD-S-6	Disposable pen, red, 1st pen	3
Universal	9A-BDP-U-2-BL-S-6	Disposable pen, blue, 2nd pen	10 packs (60)

How to order

1. Send the chart number, reorder code, or a photo of a used chart.
2. We match it to stock and quote.
3. Dispatch by the box, with pens if needed.

Contact
Deepak · +91 77299 90663 · sales@kkdmarine.co.in

Lot offers
Special pricing for full brand ranges.

OIL & GAS · DRILLING · PROCESS RECORDING

Circular Recorder Chart Papers & Pens

Barton · Graphic Controls · Martin-Decker · Honeywell

Circular charts for **Barton flow and pressure recorders** on gas wells and metering skids, **Martin-Decker drilling recorders** on rigs, and Graphic Controls and Honeywell process recorders. Recorders keep running for years, but without the right chart paper and pens they record nothing. We hold **114 boxes (11,400 charts)** across 34 part numbers, plus matching pens.

114
boxes of 100 charts

34
chart part numbers

92
Graphic Controls boxes

80+
recorder pens

Stock by brand

Brand	Part numbers	Boxes
Barton	6	**14**
Graphic Controls	22	**92**
Honeywell	1	**1**
Martin-Decker	4	**4**
To fit (part low)	1	**3**

Reading a chart number

Range

The main number is the chart's scale range, e.g. MP-**1000**, MP-**10000**, MP-**30000**. It must match the recorder's element range.

Rotation

Suffixes such as **24HR**, **1 HR**, **2H** or **96 MIN** usually indicate the chart's rotation period, which must match the recorder's clock drive.

Reorder no.

The reorder code printed on the box (e.g. 0089954C) is the fastest way for a customer to confirm a match.

Sales tip: ask for a photo of a used chart. The part number and range are printed on the chart itself. Gas metering stations, well-test companies and drilling contractors often still run these recorders, and original charts are hard to find locally.

How to order

1. Send the chart number, reorder code, or a photo of a used chart.
2. We match it to stock and quote.
3. Dispatch by the box, with pens if needed.

Contact
Deepak · +91 77299 90663 · sales@kkdmarine.co.in

Lot offers
Special pricing for taking a full brand range.

CHART PAPERS · BOXES OF 100

Circular Chart Papers

Brand	Chart part no.	Reorder no.	Boxes
Barton	L-10-100	–	**3**
Barton	L-10-S	–	**2**
Barton	BUKC-2204	4003183C	**2**
Barton	BUKC-2008	4010988C	**4**
Barton	BUKC-2051	0080641C	**1**
Barton	BUKC-2161	0094619C	**2**
Graphic Controls	MC M-250-SH	0085524C	**2**
Graphic Controls	MC-M-500-SH	–	**2**
Graphic Controls	M-1000-SH	0101365C	**2**
Graphic Controls	MC M-1500-400-300F	–	**26**
Graphic Controls	MP-1500-400	0104832C	**3**
Graphic Controls	MC MP-1000	–	**1**
Graphic Controls	MP-1000-96 MIN	32016113	**15**
Graphic Controls	MP-1000-1 HR	31497863	**2**
Graphic Controls	MC MP-2000	0085545C	**3**
Graphic Controls	MP-3000	0089449C	**3**
Graphic Controls	MP-5000-96 MIN	32018707	**5**
Graphic Controls	MC MP-6000	0106586C	**2**
Graphic Controls	MP-10000/24HR	0089954C	**5**
Graphic Controls	MP-10000-96 MIN	4006813C	**2**
Graphic Controls	MP-10000-1 HR	31504213	**1**
Graphic Controls	MP-15000	0089955C	**2**
Graphic Controls	MC MP-15000-96 MIN	–	**4**
Graphic Controls	MC MP-20000	0087582C	**1**
Graphic Controls	MP-20000-2H	0106587C	**4**
Graphic Controls	MP-20000-10000-5000-96 MIN	NMT 007536	**2**
Graphic Controls	MP-30000-1HR	0089449C	**3**
Graphic Controls	MP-30000-96 MIN	–	**2**
Honeywell	CP-1948	–	**1**
Martin-Decker	Y-46A	–	**1**
Martin-Decker	Y-14	–	**1**
Martin-Decker	Y48A	–	**1**
Martin-Decker	Y10020A	–	**1**
To fit (part low)	002-138-10	0073350C	**3**

PENS

Chart Recorder Pens

Brand	Part no.	Description	Qty
Barton	1332-5287-TQ	Recorder pens	**1 pack (6 pens)**
Graphic Controls	32009996 (MP 82-79-3312-06)	Red marker pens	**3 packs (18 pens)**
Universal	9A-BDP-U-1-RD-S-6	Disposable pen, red, 1st pen	**3 pens**
Universal	9A-BDP-U-2-BL-S-6	Disposable pen, blue, 2nd pen	**10 packs (60 pens)**

Genuine stock, subject to prior sale. Charts are supplied in boxes of 100. Match the part number to your recorder's chart; range and rotation are part of the chart number.

COMPRESSED AIR · FLUID TRANSFER · RIGS · SHIPYARDS · TANK FARMS

Chicago Air Couplings & Camlock Couplings

Air King universal couplings · Campbell · Aluminium & SS cam-and-groove

The two quick-connect systems every rig, shipyard, construction site and tank farm runs on: **Chicago (crowfoot) universal couplings** for compressed-air hose, and **Camlock cam-and-groove couplings** for water, fuel, chemical and slurry transfer hose. **665 couplings** in stock.

385	280	1/4"–2"	276
Chicago air couplings	Camlock couplings	Chicago sizes	4" Camlock, types A–F

Chicago couplings: one head fits all

Universal 2-lug heads connect to each other **regardless of hose or thread size**, so a 3/4" hose end couples to a 1/2" tool end. That makes odd sizes easy to sell, because they all work together. Ends come as **hose end** (for hose), **female NPT** and **male NPT** (for compressors, manifolds and tools), and **blank end** (cap).

Camlock types at a glance

Type A
Adapter (male groove) × female NPT thread

Type B
Coupler (female cam) × male NPT thread

Type C
Coupler (female cam) × hose shank

Type D
Coupler (female cam) × female NPT thread

Type E
Adapter (male groove) × hose shank

Type F
Adapter (male groove) × male NPT thread

Adapters (A, E, F) carry the male groove; couplers (B, C, D) carry the cam arms. Any coupler connects to any adapter of the same size. Sizes are coded in our register as 200 = 2", 300 = 3", 400 = 4".

Sales tip: sell **pairs**. A Type C coupler with a Type E adapter makes a complete 4" hose-to-hose joint. For air, offer a hose end + female end + male end set. Rental and drilling contractors, dewatering crews, fuel and bitumen tanker operators, and shipyards buy these continuously.

How to order

1. Tell us the size, the end type, and whether it's for air (Chicago) or transfer hose (Camlock).
2. We match it to stock and quote.
3. Dispatch from stock: singles, matched pairs or full lots.

Contact
Deepak · +91 77299 90663 · sales@kkdmarine.co.in

Lot offers
Special pricing for the full 4" aluminium Camlock lot (276 pcs).

COMPRESSED AIR · 385 PCS

Chicago (Crowfoot) Universal Air Couplings

Make	End type	Size	Qty
Air King	Hose end	**3/8"**	**35**
Air King	Hose end	**3/4"**	**35**
Air King	Hose end	**1"**	**11**
Air King	Female NPT end	**1/4"**	**3**
Air King	Female NPT end	**3/8"**	**4**
Air King	Female NPT end	**1/2"**	**12**
Air King	Female NPT end	**3/4"**	**90**
Air King	Female NPT end	**1"**	**36**
Campbell	Female NPT end	**1/2"**	**15**
Campbell	Female NPT end	**3/4"**	**34**
Air King	Male NPT end	**1/4"**	**3**
Air King	Male NPT end	**3/8"**	**12**
Air King	Male NPT end	**1/2"**	**10**
Air King	Male NPT end	**3/4"**	**12**
Air King	Male NPT end	**1"**	**8**
Air King	Male end, 4-lug	**2"**	**2**
Campbell	Blank end (cap)	**Universal**	**63**

TRANSFER HOSE · 280 PCS

Camlock Cam-and-Groove Couplings

Type	Configuration	Size	Material	Qty
Type A	Adapter (male groove) × female NPT thread	**4"**	Aluminium	**52**
Type B	Coupler (female cam) × male NPT thread	**4"**	Aluminium	**21**
Type C	Coupler (female cam) × hose shank	**4"**	Aluminium	**80**
Type D	Coupler (female cam) × female NPT thread	**4"**	Aluminium	**13**
Type E	Adapter (male groove) × hose shank	**4"**	Aluminium	**41**
Type F	Adapter (male groove) × male NPT thread	**4"**	Aluminium	**69**
Type A	Adapter (male groove) × female NPT thread	**3"**	Stainless steel	**2**
Type C	Coupler (female cam) × hose shank	**2"**	Aluminium	**1**
Type E	Adapter (male groove) × hose shank	**2"**	Aluminium	**1**

HVAC · REFRIGERATION · MARINE · OFFSHORE

Condenser Fan, Blower & Wash-Down Motors

Baldor Reliance · Reliance Electric · Marathon · Emerson · Lincoln

Branded electric motors from **1/4 to 2 HP** for condenser fans, blowers, pumps, galley and HVAC equipment. Most are US-standard **230/460 V, 60 Hz** motors, the same supply as most ships and offshore rigs, so they are direct replacements for American-built equipment on board. **18 motors**, ready to ship.

18	1/4–2 HP	8	1140–3450
motors in stock	power range	60 Hz dual-voltage 3-phase	RPM range

Stock at a glance

Group	Motors
Single-Phase Fan & Blower Motors	**3**
Three-Phase Motors: 60 Hz, Dual Voltage	**8**
50 Hz & Dual-Frequency Motors	**5**
Special-Application Motors	**2**
Total	**18**

Matching a replacement motor: check these five

1. Supply
Phase, voltage and frequency (e.g. 3-phase 440 V 60 Hz). A 230/460 V motor runs on 440–460 V when connected for high voltage.

2. Power & speed
HP and RPM must match. Fans are speed-sensitive: 1140, 1725 and 3450 RPM are not interchangeable.

3. Frame & mounting
Frame size, mounting style and shaft diameter must fit the existing bracket and fan hub.

Sales tip: ship managers and HVAC/refrigeration contractors replacing a failed condenser-fan motor on a US-built vessel need the **same make, HP, RPM and 60 Hz rating**. Ask for a photo of the old motor's nameplate and match it to this list.

How to order

1. Send a photo of the old motor nameplate, or the make, HP, RPM and supply.
2. We match it to stock and quote.
3. Dispatch from stock.

Contact
Deepak · +91 77299 90663 · sales@kkdmarine.co.in

Lot offer
Special pricing for taking the full motor lot.

SINGLE-PHASE · 3 PCS

Single-Phase Fan & Blower Motors

Thermally protected single-phase motors for condenser fans, blowers and small HVAC units.

Make	Part / catalogue no.	Power	RPM	Voltage	Freq.	Notes	Qty
Emerson	S55ZZMZG-6925	**1/3 HP**	**3450**	115/230 V	60/50 Hz	Single-phase, thermally protected	**2**
Marathon	DWM48A1101744DP	**1/2 HP**	**1075**	230/460 V	60 Hz	Single-phase, thermally protected	**1**

3-PHASE · 60 Hz · 230/460 V · 8 PCS

Three-Phase Motors: 60 Hz, Dual Voltage

US-standard NEMA motors wound for 230/460 V 60 Hz. Connected for 460 V, they suit the **440 V 60 Hz** supply found on most ships and offshore rigs. Includes a Baldor wash-down duty motor.

Make	Part / catalogue no.	Power	RPM	Voltage	Freq.	Notes	Qty
Baldor Reliance	CWDM3545	**1 HP**	**3450**	230/460 V	60 Hz	Wash-down duty (CWDM)	**1**
Reliance	P14X3239T	**1 HP**	**1725**	230/460 V	60 Hz		**1**
Reliance	P14X3244T	**1 HP**	**1140**	230/460 V	60 Hz		**1**
Baldor Reliance	CM3556 (35A012N025G1)	**1 HP**	**1155**	230/460 V	60 Hz	3.8/1.9 A	**1**
Reliance	P56X3821S	**1/2 HP**	**1140**	230/460 V	60 Hz	2/1 A	**1**
Baldor Reliance	M7006A (A73648980)	**1/2 HP**	**1725**	230/460 V	60 Hz		**1**
Baldor Reliance	W1504132880 (A-73648980)	**1/2 HP**	**1725**	230/460 V	60 Hz	2.1/1 A	**1**
Baldor Reliance	NM3538 (34A76-97G1)	**1/2 HP**	**1725**	230/460 V	60 Hz	1.8/0.9 A	**1**

50 Hz / DUAL FREQUENCY · 5 PCS

50 Hz & Dual-Frequency Motors

Motors rated for 50 Hz (Indian and European plant supply) or for both 50 and 60 Hz, including a USCG-marked Baldor marine motor.

Make	Part / catalogue no.	Power	RPM	Voltage	Freq.	Notes	Qty
Baldor Reliance	M7014 (CB6376)	**1 / 0.75 HP**	**1740 / 1440**	230/460 · 190/380 V	60 / 50 Hz	3.6/3.4 A · qty not recorded in register	**1**
Baldor Reliance	35U414T962H3	**1.5 / 2 HP**	**2850 / 3450**	230/460 V	50 / 60 Hz	Dual-frequency	**1**
Lincoln	SRD4S0.75TC61	**3/4 HP**	**1425 / 1725**	n/a V	50 / 60 Hz	Dual-frequency	**2**
Baldor Reliance	35U501Y102G1	**1 HP**	**1425**	190/380–415 V	50 Hz	USCG-259 marked (marine duty)	**1**

SPECIAL APPLICATION · 2 PCS

Special-Application Motors

Rig and equipment-specific motors, including an ATB Nordenham drawworks feed-off motor.

Make	Part / catalogue no.	Power	RPM	Voltage	Freq.	Notes	Qty
ATB Nordenham	CD63M2-2	**0.33 HP**	**2860**	400–500 V	n/a Hz	Drawworks feed-off motor, 0.83 Nm, 0.69–0.55 A	**1**
Bevi type	4AL2631-2	**0.24 HP**	**2720 / 3264**	230/400 · 275/480 V	50 / 60 Hz	0.9/0.5 A	**1**

HYDRAULIC · COMPRESSOR · ENGINE · WATER

Filters & Filter Elements

Parker · Quincy · Everpure · Baldwin · Fleetguard · Donaldson · Stauff · Hatenboer

921 filter elements across 57 part numbers, sorted by application so you can find the right one fast. Hydraulic elements for rig and crane systems, compressor separators, engine filters and water cartridges, all ready ex-stock.

921	57	343	301
elements in stock	part numbers	hydraulic elements	water cartridges

Stock by application

Application	Lines	Pieces
Hydraulic Filter Elements	21	**343**
Compressor & Compressed-Air Filters	16	**85**
Engine Filters	6	**22**
Water Filters & Cartridges	8	**301**
Other Filters	6	**170**
Total	**57**	**921**

Sales tip: filters are consumed on a fixed maintenance schedule, so every buyer is a repeat buyer. Ask for the OEM part number or the equipment model. Several Parker elements carry NOV cross-reference numbers, which helps match rig-equipment enquiries.

How to order

1. Send the filter part number, cross-reference or equipment model.
2. We match it to stock and quote.
3. Dispatch from stock: single elements or full lots.

Contact
Deepak · +91 77299 90663 · sales@kkdmarine.co.in

Lot offers
Special pricing for taking full lots of an element.

21 LINES · 343 PCS

Hydraulic Filter Elements

Parker, Stauff and Danfoss hydraulic elements, with NOV cross-references for rig equipment (top drives, cranes, HPUs).

Make	Part no. / cross-ref	Qty
Danfoss	180Z0285	**2**
NOV	212567+71	**5**
NOV	7804748	**2**
Parker	370-Z-220A	**1**
Parker	370-Z-222A	**2**
Parker	370-Z-223A	**1**
Parker	924448	**27**
Parker	924450	**36**
Parker	924793	**2**
Parker	927584	**14**
Parker	932469	**3**
Parker	932678Q	**20**
Parker	933743Q	**50**
Parker	934332T	**40**
Parker	936701Q	**60**
Parker	937785Q	**2**
Parker	LT10V	**50**
Parker/NOV	937814/26750020	**1**
Parker/NOV	941575/7804881	**14**
Seatrax	40133	**1**
Stauff	SBS-124500L50B(EZ 99042)	**10**

16 LINES · 85 PCS

Compressor & Compressed-Air Filters

Quincy compressor air/oil separator and line filters, plus Ingersoll Rand and Domnick Hunter compressed-air elements.

Make	Part no. / cross-ref	Qty
Dominic Hunter	P050AA	**1**
Dominic Hunter	P050AO	**3**
Ingersoll Rand	39123229	**1**
Quincy	124487-019	**1**
Quincy	146397-10/2013400361	**1**
Quincy	2013400452	**1**
Quincy	2013400458	**20**
Quincy	2013402006	**5**
Quincy	2013402016	**1**
Quincy	201340468	**1**
Quincy	23458-2/1627410038	**9**

Engine Filters

6 LINES · 22 PCS

Baldwin, Fleetguard and Donaldson filters for diesel engines and generators.

Make	Part no. / cross-ref	Qty
Baldwin	PA1885	**1**
Baldwin	PA2350	**1**
Baldwin	PA3814	**10**
Baldwin	PA3815	**1**
Donaldson	P822858	**6**
Fleetguard	AF4553M	**3**

Water Filters & Cartridges

8 LINES · 301 PCS

Everpure, Harmsco, Hatenboer, Polyklean and other cartridges for potable water, RO pre-filtration and marine fresh-water systems.

Make	Part no. / cross-ref	Qty
C Treat	F0205	**20**
Everpure	EV9601- 00	**36**
Harmsco	HB-20-5W	**24**
Harmsco	HC-90/1	**1**
Harribol	HAC24870	**50**
Hatenboer	HWMB20020	**90**
Philtroll 40"	(40" cartridge)	**20**
Polyklean	RT19L16NN	**60**

Other Filters

6 LINES · 170 PCS

Other makes and unbranded elements.

Make	Part no. / cross-ref	Qty
Alfalaval	5900901	**1**
Alwitco	111020	**8**
Dayton	2W435	**15**
N/A	07PP003-20NNP	**100**
N/A	PX051-2	**32**
N/A	Z7010	**14**

FIREFIGHTING · MARINE · OFFSHORE · INDUSTRIAL SITES

Fire Hoses & Fog Nozzles

1-1/2" and 2-1/2" hose lengths with brass couplings · brass fog nozzles



White fire hose with brass couplings



Brass adjustable fog nozzle

54
fire hose lengths

30
fog nozzles

33
1-1/2" hoses

21
2-1/2" hoses

READY STOCK · 84 PCS

Stock List

Item	Size	Length	Grade / marking	Qty
Fire hose, white	**1-1/2"**	50 ft	–	**28**
Fire hose, white	**1-1/2"**	75 ft	–	**4**
Fire hose, red	**1-1/2"**	75 ft	–	**1**
Fire hose, white	**2-1/2"**	50 ft	Marked P-500-S	**8**
Fire hose, white	**2-1/2"**	50 ft	Marked P-300-S	**13**
Fog nozzle	**1-1/2"**	–	–	**20**
Fog nozzle	**2-1/2"**	–	–	**10**

Where they are used

- Ship and offshore fire stations: replacing worn or failed hoses after inspection
- Refinery, tank farm and terminal hydrant points
- Factory and warehouse fire hydrant systems
- Shipyards and dry docks during hot work
- Construction sites and temporary fire water
- Wash-down and water transfer duty

Sales tip: fire hoses are inspected and replaced on a schedule, so every vessel, rig and plant is a repeat buyer. Offer **hose + matching fog nozzle sets** (1-1/2" and 2-1/2") so a fire station can be re-equipped in one order. Confirm the coupling thread the site uses before quoting.

How to order

1. Send the hose size, length and coupling thread you need.
2. We match it to stock and quote.
3. Dispatch from stock: single lengths, hose-and-nozzle sets, or the full lot.