

## KKD Marine – Surplus Marine & Industrial Spares

### KKD Marine & Industrial Supplies

# READY SURPLUS STOCK LIST

## Marine & Industrial Spares Inventory - 2026

---

- Chicago Couplings
- Butterfly & Ball Valves
- Cable Glands & Electrical Connectors
- Industrial Plugs & Sockets
- Wilden Pump Spares
- FRL & Pneumatic Components
- Industrial Lighting & Explosion-Proof Equipment
- Lockout-Tagout Safety Devices
- Welding Equipment
- Grease Guns & Maintenance Tools

## **Tabs / Sections**

1. CHICAGO COUPLINGS
2. BUTTERFLY VALVES
3. CABLE GLANDS
4. PLUGS & SOCKETS
5. LEWIS SNAKE GRIP
6. FRL
7. WILDEN
8. FIRE HOSES
9. NYLON & STAINLESS STEEL(COATED,
10. BMI SOUNDING & LUFKIN TAPES
11. MISCELLANEOUS
12. LOCKOUT TAGOUT
13. INDUSTRIAL LIGHTS
14. OVEN HEATING ELEMENTS
15. CAPACITORS
16. BALL VALVES
17. GRPSSAL CONDUIT JUNCTION BOXES
18. WELDING ITEMS
19. Sheet19
20. EXPANSION JOINTS
21. HUBBELLERICSON WATERTIGHT PLUGS
22. GREASE GUNS
23. EMERGENCY LIGHTING BALLASTS



# BUTTERFLY VALVES

| BUTTERFLY VALVES |                                |                 | DEMCO(2022) | DEMCO(2023) | MUDKING | BETTER DRILLING |     |  |  |  |
|------------------|--------------------------------|-----------------|-------------|-------------|---------|-----------------|-----|--|--|--|
| S.NO             | ITEM DESCRIPTION               | PART#           | QTY         | QTY         | QTY     | QTY             | UOM |  |  |  |
| 1.0              | 2" LUG NE-C                    | J022119-5114311 | 2.0         | -----       | -----   | -----           | EA  |  |  |  |
| 2.0              | 3" LUG NE-C                    | J022121-5115311 | 3.0         | -----       | -----   | -----           | EA  |  |  |  |
| 3.0              | 3" LUG NE-C                    | J022121-5114311 | 1.0         | -----       | -----   | -----           | EA  |  |  |  |
| 4.0              | 6" LUG TYPE NE-C(CRANE SERIES) |                 | 2.0         | -----       | -----   | -----           | EA  |  |  |  |
| 5.0              | 8" LUG NE-C                    | J022125-1212311 | 6.0         | -----       | -----   | -----           | EA  |  |  |  |
| 6.0              | 10" LUG NE-C                   | J022126-5115311 | 3.0         | EA          | -----   | -----           | EA  |  |  |  |
| 7.0              | 2" WAFER NE-C                  | J022119-1215311 | -----       | 2.0         | -----   | 10.0            | EA  |  |  |  |
| 8.0              | 4" WAFER NE-C                  |                 | -----       | -----       | -----   | 2.0             | EA  |  |  |  |
| 9.0              | 4" LUG NE-C                    | J022122-5115311 | -----       | 1.0         | -----   | -----           | EA  |  |  |  |
| 10.0             | 5" WAFER NE-C                  |                 | -----       | -----       | 1.0     | 10.0            |     |  |  |  |
| 11.0             | 8" WAFER NE-C                  | J022125-1215311 | -----       | 2.0         | -----   | 5.0             | EA  |  |  |  |
| 12.0             | 8" LUG NE-C                    | J022125-5115311 | -----       | 1.0         | -----   | -----           | EA  |  |  |  |
| 13.0             | 10" WAFER NE-C                 |                 | -----       | -----       | -----   | 5.0             | EA  |  |  |  |

# CABLE GLANDS

| CABLE GLANDS |                                      |       |      |  |  |  |
|--------------|--------------------------------------|-------|------|--|--|--|
| S.NO         | ITEM DESCRIPTION                     | QTY   | UOM  |  |  |  |
| 1.0          | BICC 424 UB-03, BARRIER CABLE GLANDS | 9.0   | EACH |  |  |  |
| 2.0          | HAWKE 151 RAC C2 M40                 | 2.0   | EACH |  |  |  |
| 3.0          | HAWKE ICG/653 UNIV B M25             | 3.0   | EACH |  |  |  |
| 4.0          | CMP UK 20 T3CDS 1/2" NPT             | 60.0  | EACH |  |  |  |
| 5.0          | ICG/653 UNIV C M32                   | 6.0   | EACH |  |  |  |
| 6.0          | ICG/653 UNIV C 1-1/4" NPT            | 6.0   | EACH |  |  |  |
| 7.0          | 501/453 RAC C 1-1/4" NPT             | 4.0   | EACH |  |  |  |
| 8.0          | 753 C 1-1/4" NPT                     | 12.0  | EACH |  |  |  |
| 9.0          | 753 A 1/2" NPT                       | 100.0 | EACH |  |  |  |
| 11.0         | 501/453 UNIV C 1-1/4" NPT            | 1.0   | EACH |  |  |  |
| 12.0         | CMP 737 2" X 1" NPT REDUCER          | 2.0   | EACH |  |  |  |
| 13.0         | CMP 737 2" X 3/4" NPT REDUCER        | 3.0   | EACH |  |  |  |
| 14.0         | CMP 1-1/2" NPT X M25 REDUCER         | 4.0   | EACH |  |  |  |
| 15.0         | 753 A 3/4" NPT                       | 110.0 | EACH |  |  |  |
| 16.0         | 475 1-1/4" NPT STOPPING PLUG         | 4.0   | EACH |  |  |  |
| 17.0         | 1/2" NPT DOME HEAD STOPPING PLUG     | 1.0   | EACH |  |  |  |
| 19.0         | 753 A 1/2" NPT                       | 8.0   | EACH |  |  |  |
| 20.0         | ICG/653 UNIV C2 M40                  | 3.0   | EACH |  |  |  |
| 21.0         | CMP UK 20 PXSS2K 1/2" NPT            | 8.0   | EACH |  |  |  |
| 22.0         | CCG CORROSION GUARD CABLE GLAND, M40 | 8.0   | EACH |  |  |  |
| 23.0         | 501/453 RAC D 2" NPT                 | 2.0   | EACH |  |  |  |
| 24.0         | 501/453 UNIV C2 M40                  | 7.0   | EACH |  |  |  |
| 25.0         | 501/414 C2 1-1/2" NPT                | 3.0   | EACH |  |  |  |
| 25.0         | 501/453 UNIV C M32                   | 19.0  | EACH |  |  |  |
| 26.0         | CMP 40 A2F                           | 12.0  | EACH |  |  |  |
| 27.0         | 753 D 1-1/2" NPT                     | 4.0   | EACH |  |  |  |
| 28.0         | 710 C2 1-1/2" NPT                    | 2.0   | EACH |  |  |  |
| 29.0         | 424 UB-04                            | 2.0   | EACH |  |  |  |
| 30.0         | AMPHENOL NY 13838 EX-45-F-B-3-1-M25  | 17.0  | EACH |  |  |  |
| 31.0         | CGSB-X-1-1-25-M25                    | 5.0   | EACH |  |  |  |
| 32.0         | CMP-UK 25 E1FX M25                   | 6.0   | EACH |  |  |  |
| 33.0         | CMP UK 25 PX2KX 3/4" NPT             | 30.0  | EACH |  |  |  |
| 34.0         | CMP UK 25 A2F M25                    | 4.0   | EACH |  |  |  |
| 35.0         | 476/A 1-1/2" NPT-1/2" NPT            | 4.0   | EACH |  |  |  |
| 36.0         | 501/453 UNIV F 3" NPT                | 2.0   | EACH |  |  |  |

|      | <b>CABLE GLANDS</b>                    |      |      |  |  |
|------|--|------|------|--|--|
| 37.0 | 501/453 UNIV F 75                      | 5.0  | EACH |  |  |
| 38.0 | CMP UK 32 PX2KX - 1" NPT               | 4.0  | EACH |  |  |
| 39.0 | CMP UK 40 T3CDS M40                    | 2.0  | EACH |  |  |
| 40.0 | CMP UK 25 T3CDS M25                    | 69.0 | EACH |  |  |
| 41.0 | 501/453 RAC B M25                      | 12.0 | EACH |  |  |
| 42.0 | 501/421 C M32                          | 9.0  | EACH |  |  |
| 43.0 | CMP UK 32 C M32                        | 3.0  | EACH |  |  |
| 44.0 | CMP 737 1-1/2" NPT-M40                 | 1.0  | EACH |  |  |
| 45.0 | 753 D 2" NPT                           | 2.0  | EACH |  |  |
| 46.0 | AMPHENOL NY 13838 EX-40-F-B-3-1-M25    | 2.0  | EACH |  |  |
| 47.0 | AMPHENOL NY 13838 EX-20-B-3-1-R-25-M25 | 18.0 | EACH |  |  |
| 48.0 | 710 C2 1-1/4" NPT                      | 4.0  | EACH |  |  |
| 49.0 | 501/453 UNIV C2 1-1/4" NPT             | 1.0  | EACH |  |  |
| 50.0 | 151 RAC D M50                          | 1.0  | EACH |  |  |
| 51.0 | 753 B 3/4" NPT                         | 4.0  | EACH |  |  |
| 52.0 | 753 O 1/2" NPT                         | 3.0  | EACH |  |  |
| 53.0 | 501/453 UNIV O 1/2" NPT                | 0.0  | EACH |  |  |
| 54.0 | EX-45-F-B-3-1-20-M20                   | 4.0  | EACH |  |  |
| 55.0 | CCG1-E1EX-1/2" NPT                     | 4.0  | EACH |  |  |
| 56.0 | OSCG PUSAN M25                         | 9.0  | EACH |  |  |
| 57.0 | CMP UK 50 A2F M50                      | 1.0  | EACH |  |  |
| 58.0 | 501/453 UNIV C2 1-1/2" NPT             | 10.0 | EACH |  |  |
| 59.0 | 501/453 UNIV D 2" NPT                  | 10.0 | EACH |  |  |
| 60.0 | 753 C2 1-1/2" NPT                      | 1.0  | EACH |  |  |
| 61.0 | 501/453 UNIV D M50                     | 8.0  | EACH |  |  |
| 62.0 | ICG/653 UNIV B 1" NPT                  | 7.0  | EACH |  |  |
| 63.0 | 501/453 UNIV B 1" NPT                  | 3.0  | EACH |  |  |
| 64.0 | 501/453 UNIV C 1" NPT                  | 5.0  | EACH |  |  |
| 65.0 | 710 C 1" NPT                           | 1.0  | EACH |  |  |
| 66.0 | 501/453 UNIV C 1-1/4" NPT              | 2.0  | EACH |  |  |
| 67.0 | CMP UK 40 T3CDS 1-1/2" NPT             | 2.0  | EACH |  |  |
| 68.0 | 501/421 C2 M40                         | 12.0 | EACH |  |  |
| 69.0 | CMP UK 20 S T3CDS M20                  | 55.0 | EACH |  |  |
| 70.0 | 753 C2 1-1/4" NPT                      | 1.0  | EACH |  |  |
| 71.0 | ICG/653 UNIV B M25                     | 23.0 | EACH |  |  |
| 72.0 | CCG6 EXCG 63                           | 1.0  | EACH |  |  |
| 73.0 | 424-UB-02                              | 8.0  | EACH |  |  |
| 74.0 | CCGO FLP-HS 20S                        | 2.0  | EACH |  |  |

|       | <b>CABLE GLANDS</b>                      |       |      |  |  |  |
|-------|--|-------|------|--|--|--|
| 75.0  | 424-UB-05                                | 2.0   | EACH |  |  |  |
| 76.0  | CMP UK 25 A2F 3/4" NPT                   | 1.0   | EACH |  |  |  |
| 77.0  | 476/R 1-1/4" NPT - M32                   | 16.0  | EACH |  |  |  |
| 78.0  | CMP 737 1/2" - M20                       | 19.0  | EACH |  |  |  |
| 79.0  | 476/R 1" NPT - 3/4" NPT                  | 1.0   | EACH |  |  |  |
| 80.0  | 476/A M20 - 1/2" NPT                     | 5.0   | EACH |  |  |  |
| 81.0  | 476/R M25 - 1/2" NPT                     | 9.0   | EACH |  |  |  |
| 82.0  | 501/421 B 3/4" NPT                       | 21.0  | EACH |  |  |  |
| 83.0  | 501/421 B 1" NPT                         | 6.0   | EACH |  |  |  |
| 84.0  | CMP 737 M20 - M25                        | 4.0   | EACH |  |  |  |
| 85.0  | CMP 737 3/4" NPT - 1" NPT                | 4.0   | EACH |  |  |  |
| 86.0  | REDAPT DOME HEAD STOPPING PLUGS 3/4" NPT | 2.0   | EACH |  |  |  |
| 87.0  | REDAPT DOME HEAD STOPPING PLUGS 1/2" NPT | 2.0   | EACH |  |  |  |
| 88.0  | 476/R M32 - M25                          | 15.0  | EACH |  |  |  |
| 89.0  | CMP UK 757 M20 STOPPING PLUGS            | 10.0  | EACH |  |  |  |
| 90.0  | 476/A M16 - 1/2" NPT                     | 19.0  | EACH |  |  |  |
| 91.0  | AMPHENOL NY 13838 EX-20-B-3-1-R-32-M32   | 1.0   | EACH |  |  |  |
| 92.0  | 501/421 O 1/2" NPT                       | 0.0   | EACH |  |  |  |
| 93.0  | CMP 757 1" NPT STOPPING PLUGS            | 3.0   | EACH |  |  |  |
| 94.0  | 1-1/4" DOME HEAD STOPPING PLUGS          | 9.0   | EACH |  |  |  |
| 95.0  | OSCG M25 - 3/4" NPT                      | 2.0   | EACH |  |  |  |
| 96.0  | CMP UK 757 M32 STOPPING PLUGS            | 4.0   | EACH |  |  |  |
| 97.0  | OSCG M25 - M20 REDUCER                   | 2.0   | EACH |  |  |  |
| 98.0  | 3/4" NPT - 1/2" NPT REDUCER              | 1.0   | EACH |  |  |  |
| 99.0  | 476/A 1" - M32                           | 5.0   | EACH |  |  |  |
| 100.0 | CMP UK 25 EIFX M25                       | 15.0  | EACH |  |  |  |
| 101.0 | 501/453 UNIV C M 32                      | 38.0  | EACH |  |  |  |
| 102.0 | 501/453 RAC B M25                        | 92.0  | EACH |  |  |  |
| 103.0 | 501/453 UNIV D 2" NPT                    | 14.0  | EACH |  |  |  |
| 104.0 | 476/R M40-M25                            | 8.0   | EACH |  |  |  |
| 105.0 | M50-M32                                  | 9.0   | EACH |  |  |  |
| 106.0 | M63-M40                                  | 10.0  | EACH |  |  |  |
| 107.0 | 476/A M32-1 1/4"                         | 20.0  | EACH |  |  |  |
| 109.0 | CMP UK 20S E1FX M20                      | 120.0 | EACH |  |  |  |
| 110.0 | CMP 737 M20-M25                          | 22.0  | EACH |  |  |  |
| 111.0 | M20-M32                                  | 30.0  | EACH |  |  |  |
| 112.0 | M16-M20                                  | 24.0  | EACH |  |  |  |
| 113.0 | 476/A M20-M25                            | 20.0  | EACH |  |  |  |

|       | <b>CABLE GLANDS</b> |      |      |  |  |  |
|-------|---------------------|------|------|--|--|--|
| 114.0 | 476/R M40-M250      | 2.0  | EACH |  |  |  |
| 115.0 | 501/421 C2 M40 -    | 15.0 | EACH |  |  |  |
| 116.0 | 476/A M25-3/4" NPT  | 51.0 | EACH |  |  |  |
| 117.0 | 476/R M50-M10       | 10.0 | EACH |  |  |  |







# LEWIS SNAKE GRIP

|      | LEWIS SNAKE GRIP  |       |      |      |  |  |  |
|------|-------------------|-------|------|------|--|--|--|
| S.NO | ITEM DESCRIPTION  | PART# | QTY  | UOM  |  |  |  |
| 1.0  | LSGX 1/2" - 1"    |       | 14.0 | EACH |  |  |  |
| 2.0  | LSG 1/2" - 1"     |       | 5.0  | EACH |  |  |  |
| 3.0  | LSG 1/4" - 1/2"   |       | 20.0 | EACH |  |  |  |
| 4.0  | LSGX 1/4" - 1/2"  |       | 15.0 | EACH |  |  |  |
| 5.0  | LSGX 1" - 1-1/2"  |       | 10.0 | EACH |  |  |  |
| 6.0  | LSG 1" - 1-1/2"   |       | 15.0 | EACH |  |  |  |
| 7.0  | LSGX 1-1/2" - 2"  |       | 4.0  | EACH |  |  |  |
| 8.0  | LSG 1-1/2" - 2"   |       | 2.0  | EACH |  |  |  |
| 9.0  | LSGX 2" - 2-3/4"  |       | 23.0 | EACH |  |  |  |
| 10.0 | LSG 2" - 2-3/4"   |       | 15.0 | EACH |  |  |  |
| 11.0 | LSG 2-3/4 - 3-1/2 |       | 9.0  | EACH |  |  |  |
| 12.0 | LSG 3-1/2 - 4-1/4 |       | 4.0  | EACH |  |  |  |
| 13.0 |                   |       |      |      |  |  |  |











## NYLON & STAINLESS STEEL(COATED,

| NYLON CABLE TIES                    |  |      |
|-------------------------------------|--|------|
| S.NO                                | ITEM DESCRIPTION                                   | QTY  |
| 1.0                                 | TYB2315MX, T & B, 7", PACK OF 1000                 | 12.0 |
| 2.0                                 | YY 370 X 4.8MM, PACK OF 100                        | 30.0 |
| 3.0                                 | YY 200 X 4.8MM, PACK OF 100                        | 50.0 |
| 4.0                                 | PANDUIT 200X3.6MM, 500 PACK                        | 1.0  |
| 5.0                                 | SURELOCK 254X4.8MM, PACK OF 100                    | 5.0  |
| 6.0                                 | HELERMANN TYTON T50R, 198X4.7MM, PACK OF 100       | 2.0  |
| 7.0                                 | ACT 7"X4.5MM, 100 PACK                             | 5.0  |
| 8.0                                 | SURELOCK 153X3.6MM, PACK OF 500                    | 1.0  |
| 9.0                                 | RS 233-500, 500 PACK                               | 1.0  |
| 10.0                                | U LINE S-5826, 100X2.5MM, 500 PACK                 | 1.0  |
| 11.0                                | U LINE S-5826, 100X2.5MM, 1000 PACK                | 1.0  |
| 12.0                                | U LINE S-5828, 120X4.8MM, 800 PACK                 | 1.0  |
| 13.0                                | 200X3.5MM, 100 PACK                                | 1.0  |
| 14.0                                | 200X4.5MM, 100 PACK                                | 1.0  |
| 15.0                                | 108X2.5MM, 100 PACK                                | 1.0  |
| 16.0                                | T30R, 148X3.5MM, 100 PACK                          | 1.0  |
| 17.0                                | 15" X 7.6MM, 100 PACK                              | 2.0  |
| 18.0                                | TYRAP TY5232MX, 203 MM, PACK OF 100                | 3.0  |
| STAINLESS STEEL (COATED & UNCOATED) |  |      |
| S.NO                                | ITEM DESCRIPTION                                   | QTY  |
| 1.0                                 | RAYCHEM RPG 300 X 4.6MM BALL LOCK COATED, 100 PACK | 5.0  |

## BMI SOUNDING & LUFKIN TAPES

| <b>BMI SOUNDING TAPES</b> |                                 |     |      |
|---------------------------|---------------------------------|-----|------|
| S.NO                      | ITEM DESCRIPTION                | QTY | UOM  |
| 1.0                       | BMI 30 METER                    | 9.0 | EACH |
| 2.0                       | BMI 20 METER                    | 3.0 | EACH |
| 3.0                       | BMI 15 METER                    | 2.0 | EACH |
| 4.0                       | BMI 25 METER                    | 1.0 | EACH |
| <b>LUFKIN TAPES</b>       |                                 |     |      |
| S.NO                      | ITEM DESCRIPTION                | QTY | UOM  |
| 1.0                       | OC2276D, 1/4" X 100 FT REFILL   | 6.0 | EA   |
| 2.0                       | OC213D, 3/8" X 50 FT, REFILL    | 4.0 | EA   |
| 3.0                       | 1/2" X 100 FT, SAE/METRIC, TAPE | 1.0 | EA   |
| 4.0                       | 1/2" X 50 FT, REFILL            | 1.0 | EA   |
| 5.0                       | 3/8" X 18 FT, TAPE              | 1.0 | EA   |

## MISCELLANEOUS

|      | MISCELLANEOUS  |      |      |
|------|--|------|------|
| S.NO | ITEM DESCRIPTION   | QTY  | UOM  |
| 1.0  | EATON CROUSE-HINDS BI-DIRECTIONAL LOUD SPEAKER, IMCOS-5242 | 10.0 | EACH |
| 2.0  | DORMA WATERTIGHT DOOR CLOSER, DR8916T-BP689/1              | 1.0  | EACH |
| 3.0  | KITTIWAKE BUNKER SAMPLER FG-K1-124-KW                      | 2.0  | EACH |
| 4.0  | RIGTOOLS LIFTING CLAMP, 5-7/8"                             | 1.0  | EACH |
| 5.0  | 500 ML SAMPLE BOTTLES                                      | 20.0 | EACH |
| 6.0  | KITTIWAKE BUNKER SAMPLER FG-K1-125-KW                      | 1.0  | EACH |
| 7.0  | U-LINE H-1346, 1/8" X 12" MULTILOCK CABLE SEAL             | 95.0 | EACH |

# LOCKOUT TAGOUT

| LOCKOUT & TAGOUTS |  |      |      |
|-------------------|--|------|------|
| S.NO              | ITEM DESCRIPTION   | QTY  |      |
| 1.0               | MASTERLOCK S806, 4MM X 6", ADJUSTABLE LOCKOUT HASP         | 24.0 | EACH |
| 2.0               | BRADY OVERSIZED CLAMP-ON BREAKER LOCKOUT, 65329            | 9.0  | EACH |
| 3.0               | BRADY BUTTERFLY VALVE LOCKOUT DEVICE(SMALL), 121504        | 4.0  | EACH |
| 4.0               | BRADY PLUG LOCKOUT, 65674                                  | 1.0  | EACH |
| 5.0               | MASTERLOCK GRIP TIGHT CIRCUIT BREAKER LOCKOUT, 493B        | 25.0 | EACH |
| 6.0               | MASTERLOCK GRIP TIGHT CIRCUIT BREAKER LOCKOUT, 491B        | 40.0 | EACH |
| 7.0               | BRADY MINIATURE CIRCUIT BREAKER LOCKOUT, 90847             | 10.0 | EACH |
| 8.0               | MASTERLOCK MINIATURE CIRCUIT BREAKER LOCKOUT, S2391        | 14.0 | EACH |
| 9.0               | MASTERLOCK MINIATURE CIRCUIT BREAKER LOCKOUT, S2390        | 35.0 | EACH |
| 10.0              | MASTERLOCK PIN-IN MINIATURE CIRCUIT BREAKER LOCKOUT, S2392 | 15.0 | EACH |
| 11.0              | PANDUIT PSL-MLD, MULTIPLE LOCKOUT DEVICE                   | 8.0  | EACH |
| 12.0              | BRADY 45351, PRINZING CABLE LOCKOUT                        | 5.0  | EACH |
| 13.0              | MASTERLOCK S3477, BALL VALVE LOCKOUT                       | 1.0  | EACH |
| 14.0              | BRADYSTEEL LOCKOUT HASP, Y4281047, BOX OF 10               | 10.0 | EACH |
| 15.0              | MASTERLOCK LOCKOUT HASP, 421                               | 90.0 | EACH |
| 16.0              | COMSAFE LOCKOUT KEY CASE NS-1, 775-7643                    | 7.0  | EACH |
| 17.0              | MASTERLOCK 417 LOCKOUT HASP                                | 6.0  | EACH |
| 18.0              | LOTO LOCKOUT HASP, 1"                                      | 65.0 | EACH |
| 19.0              | MASTERLOCK 416 LOCKOUT HASP                                | 2.0  | EACH |
| 20.0              | MASTERLOCK 428 LOCKOUT HASP                                | 36.0 | EACH |
| 21.0              | BRADY/VSAFE GATE VALVE LOCKOUT, 65561, 2.5-5"              | 60.0 | EACH |
| 22.0              | MASTERLOCK 483   | 28.0 | EACH |
| 23.0              | V SAFE 6" - 10" , GATE VALVE LOCKOUT,                      | 10.0 | EACH |
| 24.0              | MASTERLOCK 481   | 3.0  | EACH |
| 25.0              | MASTERLOCK 480   | 5.0  | EACH |
| 26.0              | BRADY/VSAFE GATE VALVE LOCKOUT, 65562, 5-6.5"              | 15.0 | EACH |
| 27.0              | LOCKOUT BOXES  | 7.0  | EACH |
| 28.0              | MASTERLOCK S2151, REMOVABLE ROTARY & PPUSH BUTTON COVER    | 12.0 | EACH |
| 29.0              | MASTERLOCK S2153, PERMANENT ROTARY & PPUSH BUTTON COVER    | 6.0  | EACH |
| 30.0              | MASTERLOCK 484   | 8.0  | EACH |
| 31.0              | ALUMINIUM LOCKOUT HASP                                     | 50.0 | EACH |

# INDUSTRIAL LIGHTS

| S.NO | INDUSTRIAL LIGHTS   | QTY  | UOM  |  |  |  |
|------|---|------|------|--|--|--|
| 2.0  | FEDERAL SIGNAL CORPORATION Part NO: 151XST-120B STROBE LIGHT , BLUE                             | 1.0  | EACH |  |  |  |
| 3.0  | MEDC SM87HXB LIGHT  | 2.0  | EACH |  |  |  |
| 4.0  | MENICS AVGB-20-R SIGNAL LIGHT   | 2.0  | EACH |  |  |  |
| 5.0  | WERMA 884 X00 68 LIGHT  | 2.0  | EACH |  |  |  |
| 6.0  | FHF 11883204 LIGHT  | 1.0  | EACH |  |  |  |
| 7.0  | 31105270 XENON BEACON , Delta Design LT4XMV / 5 amber optical / acoustic signaling device       | 1.0  | EACH |  |  |  |
| 8.0  | COOPER PAULUHN FBL18 LIGHT  | 16.0 | EACH |  |  |  |
| 9.0  | STERIL AIRE GTD 22 VO UV LAMP   | 14.0 | EACH |  |  |  |
| 10.0 | COOPER CROUSE HINDS, WHITE EVLEDC701 LED LUMINAIRE  | 3.0  | EACH |  |  |  |
| 11.0 | COOPER CROUSE HINDS EVMBX92251/120 S828 LED LUMINAIRE (ELECTRIC FIXTURE LIGHT)                  | 9.0  | EACH |  |  |  |
| 12.0 | FEDERAL SIGNAL CORPORATION 2000 SERIES LED BEACON 110-240VAC, 0.22 Amps                         | 2.0  | EACH |  |  |  |
| 13.0 | STAHL TRANBERG 2430200 LIGHT 20W,230VAC,50Hz  | 1.0  | EACH |  |  |  |
| 14.0 | FHF PART NO:D45478  | 2.0  | EACH |  |  |  |
| 15.0 | TOMAR ELECTRONICS, ORANGE PART#: 7120BEP EXPLOSIVE PROOF POWER STROBE 120VAC,2.3 Amps, 50/60 Hz | 1.0  | EACH |  |  |  |
| 16.0 | DL MANUFACTURING (VERSA LIGHT) 420X (or) VL420X VERSA LIGHT , FLEX TUBE                         | 1.0  | EACH |  |  |  |
| 17.0 | AQUAFINE 18197 "Single Ended UV Lamp  | 15.0 | EACH |  |  |  |
| 18.0 | ALP LEXALITE , RED 921438 Auto 80860005 250mm, AC CLR LRG Cover                                 | 1.0  | EACH |  |  |  |
| 19.0 | HELLA 2RL006295-111 ROTATING BEACON LIGHT COVER   | 2.0  | EACH |  |  |  |
| 20.0 | AQUAFINE COLORGUARD UV LAMPS OUTER TUBES , L=32.8 IN , DIA = 25.4MM                             | 9.0  | EACH |  |  |  |
| 21.0 | NAVILLE LAMP GIROLED 120V IP65 PART# : EW15/1 RATING : 10WATTS                                  | 1.0  | EACH |  |  |  |
| 22.0 | KENNEDY PART#: KEN-503-5090K INDUSTRIAL LIGHT   | 1.0  | EACH |  |  |  |
| 23.0 | UNILUX LIGHT PART#: U 2093 SPECIFICATION: 110V, 1 TC , 5-7W, IP64                               | 12.0 | EACH |  |  |  |
| 25.0 | MEDC LIGHT, CLEAR TYPE XB13 RATING: 115V AC, 180 mA IP66/67 NEMA 4X & 6                         | 1.0  | EACH |  |  |  |
| 26.0 | APPLETON EXPLOSION PROOF EMERGENCY LIGHT FIXTURE PART#: AP1050186DM RATING: 6 VOLTS, 18 WATTS   | 1.0  | EACH |  |  |  |
| 27.0 | TOMAR ELECTRONICS, BLUE PART#: 7120BEP EXPLOSIVE PROOF POWER STROBE 120VAC,2.3 Amps, 50/60 Hz   | 1.0  | EACH |  |  |  |
| 28.0 | FORT LIGHT INDUSTRIAL LIGHT PART# :TLSW035 RATING : 160W 220V                                   | 1.0  | EACH |  |  |  |
| 29.0 | YUQIN STROBE LIGHT PART#: BSW9812   | 1.0  | EACH |  |  |  |
| 30.0 | BEKA SOLID STATE ALARM SOUNDER  | 1.0  | EACH |  |  |  |
| 31.0 | E2S BEACON LIGHT RED PART#: MB010DC24G-YW   | 1.0  | EACH |  |  |  |

|      | <b>INDUSTRIAL LIGHTS</b>                                       |      |      |  |  |
|------|--|------|------|--|--|
| 32.0 | E2S WARNING SIGNAL LIGHT AND SOUNDER PART#: SONFL1DC24R/A-WR   | 1.0  | EACH |  |  |
| 33.0 | WERMA SQUARE VISUAL LED BEACON PART#: K249                     | 2.0  | EACH |  |  |
| 34.0 | E2S ALERT LIGHT PART#: L101XAC230BR/B                          | 2.0  | EACH |  |  |
| 35.0 | MEDC XB4 LIGHT, 220V AC RED BODY, GREEN LIGHT WITH METAL GUARD | 7.0  | EACH |  |  |
| 36.0 | MEDC XB4, 24V DC YELLOW BODY, AMBER LIGHT WITH METAL CASING    | 4.0  | EACH |  |  |
| 37.0 | MEDC XB4, 24V DC YELLOW BODY, RED LIGHT WITH CASING            | 2.0  | EACH |  |  |
| 38.0 | MEDC XB4, 24V DC YELLOW BODY, ORANGE LIGHT WITH METAL CASING   | 1.0  | EACH |  |  |
| 39.0 | E2S ALERT LIGHT PART#: L101XAC230BR/A                          | 1.0  | EACH |  |  |
| 40.0 | DANIEL WOODHEAD; P/N# 4V363                                    | 3.0  | EACH |  |  |
| 41.0 | MOFLASH R200-05-05, 230V, 029A; SIGNALLING, CLEAR              | 16.0 | EACH |  |  |
| 42.0 | MOFLASH R200-05-05, 230V, 029A; SIGNALLING, RED                | 1.0  | EACH |  |  |
| 43.0 | LUMATEC A8 L3RW3/1-TA EXIT SIGN LAMPS                          | 15.0 | EACH |  |  |
| 44.0 | AQUASIGNAL LENS, RED 8307001900                                | 13.0 | EACH |  |  |
| 45.0 | AQUASIGNAL LENS, GREEN 8307001800                              | 12.0 | EACH |  |  |
| 46.0 | FHF SLD1 24 VDC, 3A, FHF22200202                               | 19.0 | EACH |  |  |
| 47.0 | AQUASIGNAL LENS, CLEAR 8307001700                              | 1.0  | EACH |  |  |

## OVEN HEATING ELEMENTS

|      | HEATING ELEMENTS  |      |      |
|------|---|------|------|
| S.NO | ITEM DESCRIPTION  | QTY  | UOM  |
| 1.0  | FAT FRYER HEATING ELEMENT, 277/480 VOLTS, 8.5 KW, 23850 | 2.0  | EACH |
| 2.0  | TPFAY FI0918C-SSEP, 9KW, 240/415 VOLTS                  | 1.0  | EACH |
| 3.0  | JEVI DK7100, 3X400 VOLT, 12KW, 23263570                 | 1.0  | EACH |
| 4.0  | 11090-11, 480 VOLT, 6KW                                 | 1.0  | EACH |
| 5.0  | 70034406P, 240 VOLT, 8KW                                | 14.0 | EACH |
| 6.0  | M405256P, 240 VOLT, 10KW                                | 2.0  | EACH |
| 7.0  | BACKER S4B 252046, 277 VOLT, 1500W                      | 3.0  | EACH |
| 8.0  | RICA 4153695, 230 VOLT, 3.5KW                           | 1.0  | EACH |

# CAPACITORS

|      | CAPACITORS                                  |      |      |
|------|---|------|------|
| S.NO | ITEM DESCRIPTION                            | QTY  | UOM  |
| 1.0  | DAYTON 15MFD OVAL, 440VAC, GRAINGER#: 2MDY9 | 6.0  | EACH |
| 2.0  | AEROVOX Z93S4824M01A3, 24 MFD, 480 VAC      | 3.0  | EACH |
| 3.0  | 10 MFD, 370 VAC, P291-1013                  | 3.0  | EACH |
| 4.0  | GE 97F9607, 25MFD, 370 VAC, P291-2503       | 3.0  | EACH |
| 5.0  | CDE YORK SFC4824C1FR, 24 MFD, 480 VAC       | 1.0  | EACH |
| 6.0  | PACKARD 25 MFD, 370 VAC                     | 1.0  | EACH |
| 7.0  | AEROVOX Z93S4024MN, 24 MFD, 400 VAC         | 2.0  | EACH |
| 8.0  | GE 27L180, 10 MFD, 370 VAC                  | 1.0  | EACH |
| 9.0  | GE A28F5607S, 1 MFD, 2000 VDC               | 6.0  | EACH |
| 10.0 | GENTEQ 27L457 CAPACITOR                     | 40.0 | EACH |

# BALL VALVES

| S.NO | MANUFACTURER         | SIZE   | BALL VALVES<br>MATERIAL | (PSI)  | THREAD TYPE   | PART#       | QTY  |
|------|----------------------|--------|-------------------------|--------|---------------|-------------|------|
| 1.0  | PARKER               | 1/4"   | SS                      | 6000.0 | NPT           | HPBYB4FFNC  | 40.0 |
| 3.0  | APOLLO/KTC           | 1/4"   | BRASS                   | 600.0  | NPT           | 94A-101-01  | 3.0  |
| 4.0  | ALCO                 | 1/4"   | SS                      | 2000.0 | NPT           |             | 7.0  |
| 5.0  | PARKER               | 3/8"   | SS                      | 6000.0 | NPT           | HPBYB6FF    | 11.0 |
| 6.0  | PARKER               | 3/8"   | SS                      | 6000.0 | NPT TUBE      | HPBYB6ALC   | 3.0  |
| 7.0  | ALCO                 | 3/8"   | SS                      | 2000.0 | NPT           |             | 2.0  |
| 8.0  | FLOWTEK/REX          | 3/8"   | SS                      | 1000.0 | NPT           |             | 16.0 |
| 9.0  |                      | 3/8"   | SS                      | 1000.0 | BSP           |             | 12.0 |
| 10.0 | PARKER               | 1/2"   | SS                      | 6000.0 | NPT           | HNVS8M8FNC  | 2.0  |
| 11.0 | PARKER               | 1/2"   | SS                      | 6000.0 | NPT           | HPBYB8FFNC  | 30.0 |
| 14.0 |                      | 1/2"   | SS                      | 1000.0 | BSP           |             | 5.0  |
| 15.0 | HAMMER               | 1/2"   | NICKEL PLATED BRASS     | 1000.0 | BSP           |             | 7.0  |
|      | ALCO                 | 3/4"   | SS                      | 2000.0 | NPT           | A6NS-LM     | 1.0  |
| 17.0 | PROLINE              | 3/4"   | BRASS                   | 600.0  | NPT           | 7690T       | 8.0  |
| 18.0 | PARKER               | 3/4"   | SS                      | 6000.0 | NPT           | HPBWB12FNC  | 3.0  |
|      | PARKER               | 3/4"   | SS                      | 6000.0 | NPT           | HPBYB12FFNC | 6.0  |
|      | FLOWTEK/REX          | 3/4"   | SS                      | 1000.0 | NPT           |             | 16.0 |
| 19.0 |                      | 3/4"   | SS                      | 1000.0 | BSP           |             | 10.0 |
| 20.0 | FLOWTEK/REX          | 1"     | SS                      | 1000.0 | NPT           |             | 15.0 |
| 21.0 |                      | 1"     | SS                      | 1000.0 | BSP           |             | 30.0 |
| 22.0 | REX                  | 1-1/4" | SS                      | 1000.0 | NPT           |             | 4.0  |
| 23.0 | PROLINE              | 1-1/4" | BRASS                   | 600.0  | NPT           | 7690T       | 1.0  |
| 24.0 | SYN                  | 1-1/4" | SS                      | 1000.0 | BSP           |             | 1.0  |
| 25.0 |                      | 1-1/2" | SS                      | 1000.0 | BSP           |             | 5.0  |
|      | TOSCA, LOCKING LEVER | 1-1/2" | SS                      | 1000.0 | LOCKING LEVER |             | 8.0  |
| 28.0 | TOPIC FM             | 2"     | NICKEL PLATED BRASS     | 600.0  |               |             | 9.0  |
| 29.0 | APOLLO               | 2"     | BRASS                   | 600.0  |               | 94A-108-01  | 4.0  |
| 31.0 | TOSCA, LOCKING LEVER | 2"     | SS                      | 1000.0 |               |             | 4.0  |
| 32.0 | FLOWTEK              | 2"     | SS                      | 1000.0 |               |             | 3.0  |
| 33.0 |                      | 2-1/2" | BRASS                   | 600.0  |               |             | 8.0  |
| 34.0 | SWAGELOK             | 1/2"   | SS                      | 2200.0 |               | SS-63TF8    | 1.0  |
| 35.0 | SWAGELOK             | 1/2"   | SS                      | 2500.0 |               | SS-45F8     | 1.0  |



## WELDING ITEMS

|      | WELDING ITEMS  |     |      |
|------|--|-----|------|
| S.NO | ITEM DESCRIPTION   | QTY | UOM  |
| 1.0  | AMERIFLAME HD315TH, V STYLE TUBE MIX TORCH HANDLE, WELDS UPTO 6" | 2.0 | EACH |
| 2.0  | AMERIFLAME HD2460CA, V STYLE CUTTING ATTACHMENT, CUTS UPTO 8"    | 4.0 | EACH |
| 3.0  | UNIWELD WH360, TORCH HANDLE, WELDS UPTO 3", 9/16"-18 THREAD      | 2.0 | EACH |
| 4.0  | UNIWELD 780A, CUTTING ATTACHMENT OXYACETYLENE                    | 6.0 | EACH |
| 5.0  | HOBART 770201, VICTOR FIREPOWER COMPATIBLE CA1350, CA150, CA250  | 1.0 | EACH |
| 6.0  | AMERIFLAME R360-510, ACETYLENE REGULATOR                         | 6.0 | EACH |
| 7.0  | AMERIFLAME R350-540, OXYGEN REGULATOR                            | 1.0 | EACH |
| 8.0  | AMERIFLAME WELDING & CUTTING OUTFIT, HS-HDUF                     | 2.0 | EACH |

# Sheet19

|      | <b>DIXON DOUBLE BOLT AIR KING HOSE CLAMPS AND DOUBLE BOLT HOSE CLAMPS WITH SADDLES</b> |      |      |
|------|--|------|------|
| S.NO | ITEM DESCRIPTION   | QTY  | UOM  |
| 1.0  | DIXON AIRKING HOSE CLAMP DOULE BOLT, A9  | 10.0 | EACH |
| 2.0  | DIXON BOSS HOSE CLAMP DOULE BOLT, BU9  | 7.0  | EACH |
| 3.0  | 4 BOLT HOSE CLAMP, 1-17/32-1-25/32   | 2.0  | EACH |
| 4.0  | DIXON CD, 3/8" BOSS CLAMP  | 3.0  | EACH |
| 5.0  | DIXON DL32, 2-20/64 - 2-40/64  | 7.0  | EACH |
| 6.0  | SL76   |      |      |

## EXPANSION JOINTS

|      | EXPANSION JOINTS |     |      |
|------|------------------|-----|------|
| S.NO | ITEM DESCRIPTION | QTY | UOM  |
| 1.0  | 8" X 6", 8 HOLE  | 2.0 | EACH |
| 2.0  | 6" X 5", 8 HOLE  | 1.0 | EACH |
| 3.0  |                  |     |      |

## HUBBELLERICSON WATERTIGHT PLUGS

|      | HUBBELL PLUGS   |      |      |
|------|---|------|------|
| S.NO | ITEM DESCRIPTION  | QTY  | UOM  |
| 1.0  | HBL15W47 ELASTOGRIP WATERTIGHT STRAIGHT BLADE CONNECTOR | 13.0 | EACH |
| 2.0  | HBL14W47 ELASTOGRIP WATERTIGHT STRAIGHT BLADE PLUG      | 1.0  | EACH |
| 3.0  | ERICSON 1610-CW60 STRAIGHT BLADE WATERTIGHT CONNECTOR   | 5.0  | EACH |
| 4.0  | DANIEL WOODHEAD 2709, TURNEX CONNECTOR                  | 10.0 | EACH |
| 5.0  | DANIEL WOODHEAD 2609, TURNEX CONNECTOR                  | 10.0 | EACH |
| 6.0  | HBL1447   | 1.0  | EACH |

## GREASE GUNS

|      | GREASE GUNS                                 |      |      |
|------|---|------|------|
| S.NO | ITEM DESCRIPTION                            | QTY  | UOM  |
| 1.0  | GROZ G1R/B/T/EC/BL, LEVER GREASE GUN        | 10.0 | EACH |
| 2.0  | VSLGH, SIDE LEVER GREASE GUN, 7500 PSI      | 1.0  | EACH |
| 3.0  | GROZ PISTOL GRIP GREASE GUN G5R/B, 5000 PSI | 12.0 | EACH |
| 4.0  | GROZ V1R/BL/B LEVER GREASE GUN              | 14.0 | EACH |
| 5.0  | ALEMLUBE 400A, LEVER GREASE GUN 7300 PSI    | 1.0  | EACH |

## EMERGENCY LIGHTING BALLASTS

| EMERGENCY LIGHTING BALLASTS |   |       |      |   |  |  |
|-----------------------------|---|-------|------|---|--|--|
| S.NO                        | ITEM DESCRIPTION                              | QTY   | UOM  |   |  |  |
| 1.0                         | EB120A16/26P, PHILIPS                         | 9.0   | EACH |   |  |  |
| 2.0                         | FULHAM TXG270                                 | 4.0   | EACH |   |  |  |
| 3.0                         | HEP LED DRIVER LLC40W700 UNI                  | 3.0   | EACH |   |  |  |
| 4.0                         | EB220A16/26, PHILIPS, 2X20W                   | 3.0   | EACH |   |  |  |
| 5.0                         | EV-U 5-80 SW 100V, HEP                        | 10.0  | EACH |   |  |  |
| 6.0                         | EVUL10W200UNI, HEP                            | 4.0   | EACH | B |  |  |
| 7.0                         | BODINE BHD65U                                 | 120.0 | EACH |   |  |  |
| 8.0                         | SUNLUX SF-UV-40/20-1/2-FL, ELECTRONIC BALLAST | 21.0  | EACH |   |  |  |
| 9.0                         | ARLEN EFA HFL218-40M                          | 35.0  | EACH |   |  |  |
| 10.0                        | BASIC-12, 234SR120M-A                         | 14.0  | EACH |   |  |  |
| 11.0                        | CREE UR2-48-45L-S-FD-DR                       | 5.0   | EACH |   |  |  |
| 12.0                        | CREE UR2-24-36L-S-FD-DR                       | 2.0   | EACH |   |  |  |
| 13.0                        | BODINE BDL60U                                 | 10.0  | EACH |   |  |  |